



# MASCHINE MIKRO

The information in this document is subject to change without notice and does not represent a commitment on the part of Native Instruments GmbH. The software described by this document is subject to a License Agreement and may not be copied to other media. No part of this publication may be copied, reproduced or otherwise transmitted or recorded, for any purpose, without prior written permission by Native Instruments GmbH, hereinafter referred to as Native Instruments.

“Native Instruments”, “NI” and associated logos are (registered) trademarks of Native Instruments GmbH.

Mac, Mac OS, GarageBand, Logic, iTunes and iPod are registered trademarks of Apple Inc., registered in the U.S. and other countries.

Windows, Windows Vista and DirectSound are registered trademarks of Microsoft Corporation in the United States and/or other countries.

All other trademarks are the property of their respective owners and use of them does not imply any affiliation with or endorsement by them.

Document authored by: David Gover, Nicolas Sidi

Software version: 2.6.5 (05/2017)

Hardware version: MASCHINE MIKRO MK1

Special thanks to the Beta Test Team, who were invaluable not just in tracking down bugs, but in making this a better product.

---

**NATIVE INSTRUMENTS GmbH**

Schlesische Str. 29-30  
D-10997 Berlin  
Germany  
[www.native-instruments.de](http://www.native-instruments.de)

**NATIVE INSTRUMENTS North America, Inc.**

6725 Sunset Boulevard  
5th Floor  
Los Angeles, CA 90028  
USA  
[www.native-instruments.com](http://www.native-instruments.com)

**NATIVE INSTRUMENTS K.K.**

YO Building 3F  
Jingumae 6-7-15, Shibuya-ku,  
Tokyo 150-0001  
Japan  
[www.native-instruments.co.jp](http://www.native-instruments.co.jp)

**NATIVE INSTRUMENTS UK Limited**

18 Phipp Street  
London EC2A 4NU  
UK  
[www.native-instruments.co.uk](http://www.native-instruments.co.uk)



© NATIVE INSTRUMENTS GmbH, 2017. All rights reserved.

---

---

# Table of Contents

<b>1</b>	<b>Welcome to MASCHINE .....</b>	<b>10</b>
1.1	Documentation Overview .....	11
1.1.1	MASCHINE Getting Started Guide .....	11
1.1.2	MASCHINE Manual .....	11
1.1.3	MASCHINE Hardware Control Reference .....	12
1.1.4	Controller Editor Manual .....	12
1.1.5	Support Channel Videos .....	12
1.1.6	Other Online Resources .....	12
1.1.7	In This Document .....	13
1.1.8	Document Conventions .....	14
1.2	Labeling on your MASCHINE Controller .....	16
<b>2</b>	<b>First Steps .....</b>	<b>17</b>
2.1	Loading a Drum Kit from the Factory Library .....	18
2.2	Playing with the Pads .....	25
2.3	Recording Your First Pattern .....	26
2.4	Playing with Your Pattern .....	28
2.4.1	Using Solo and Mute .....	28
2.4.2	Using Note Repeat .....	31
2.5	Save Your Work! .....	32
2.6	To Sum Up... ..	32
<b>3</b>	<b>Building Your Own Drum Kit .....</b>	<b>34</b>
3.1	Opening Your Project .....	34
3.2	Customizing Your Drum Kit .....	38
3.2.1	Selecting another Snare Sample .....	38
3.2.2	Loading a Drumsynth .....	42

---

3.2.2.2	Loading a Drumsynth into a Plug-in List on the Hardware .....	46
3.2.3	Adjusting Volume, Swing and Tempo .....	48
3.2.4	Changing the Color of a Group or Sound .....	53
3.2.5	Moving your Sounds and Groups .....	54
3.3	Save Your Work! .....	55
3.4	To Sum Up... ..	56
<b>4</b>	<b>Creating Beats .....</b>	<b>57</b>
4.1	Fine-tuning your First Pattern .....	57
4.1.1	Your Pattern in the Software .....	58
4.1.2	Doubling the Pattern .....	59
4.1.3	Quantizing the Rhythm .....	60
4.2	Adding a Second Pattern .....	63
4.2.1	Selecting a Pattern Slot .....	63
4.2.2	Adjusting the Pattern Length .....	64
4.2.3	Recording a new Pattern using the Count-in .....	66
4.2.4	Switching Patterns .....	67
4.3	Editing Patterns in the Software .....	67
4.4	Save Your Work! .....	68
4.5	To Sum Up... ..	69
<b>5</b>	<b>Adding a Bass Line .....</b>	<b>70</b>
5.1	Selecting another Group .....	71
5.2	Renaming and Coloring the Group .....	72
5.3	Loading a Plug-in Instrument for the Bass .....	74
5.3.1	Browsing the MASSIVE Presets .....	74
5.3.2	Using Keyboard Mode .....	78
5.3.3	Adjusting the Base Key of the Pads on Your Controller .....	81

---

5.4	Recording a Bass Line .....	82
5.4.1	Creating a Bass Pattern .....	82
5.4.2	Creating a Second Bass Pattern .....	82
5.4.3	Loading an Additional Bass Sound .....	83
5.5	Accessing the Plug-in Parameters .....	84
5.6	Save Your Work! .....	88
5.7	To Sum Up... ..	88
<b>6</b>	<b>Applying Effects .....</b>	<b>90</b>
6.1	Loading Effects .....	91
6.1.1	The Plug-in List .....	91
6.1.2	Loading an Effect into a Plug-in List .....	92
6.2	Playing with Effects .....	97
6.2.1	Adjusting the Effect Parameters .....	98
6.2.2	Practice Makes Perfect! .....	99
6.2.3	Bypassing Effects .....	99
6.3	Modulating Effect Parameters .....	101
6.3.1	Recording Modulation .....	102
6.3.2	Editing Modulation .....	103
6.4	Save Your Work! .....	104
6.5	To Sum Up... ..	104
<b>7</b>	<b>Creating Beats with the Step Sequencer .....</b>	<b>105</b>
7.1	Building Up a Beat in Step Mode .....	106
7.1.1	Using Step Mode .....	106
7.1.2	Adjusting the Pattern Length in Step Mode .....	107
7.2	Adjusting the Step Grid .....	108
7.3	Save Your Work! .....	110

---

---

7.4	To Sum Up...	110
<b>8</b>	<b>Creating Scenes</b>	<b>112</b>
8.1	Working with Scenes	112
8.2	Assigning Patterns to Scenes	113
8.3	Managing Scenes	116
8.3.1	Renaming and Coloring Scene Slots	117
8.3.2	Duplicating and Deleting Scenes	117
8.4	Playing Live	119
8.4.1	Jumping to Other Scenes	119
8.5	To Sum Up...	121
8.6	Save Your Work!	121
<b>9</b>	<b>Creating an Arrangement</b>	<b>123</b>
9.1	Accessing Arranger View	123
9.1.1	Creating your First Section	125
9.1.2	Assigning a Scene to a Section	126
9.2	Managing Sections	127
9.2.1	Adjusting the Length of a Section	127
9.2.1.1	Adjusting the Length of a Section Using the Software	128
9.2.1.2	Adjusting the Length of a Section Using the Controller	129
9.2.2	Duplicating and Removing Sections	130
9.3	Selecting a Loop Range	132
9.4	Save Your Work!	133
9.5	To Sum Up...	134
<b>10</b>	<b>Using Advanced Features</b>	<b>135</b>
10.1	Changing the Sound, Group, and Master Channel Properties	135
10.1.1	Creating Custom Sets of Parameters with the Macro Controls	136

---

---

10.1.2	Macro Control Overview .....	136
10.1.3	Assigning Macro Controls .....	137
10.2	Using Other Sound Sources .....	141
10.2.1	Using Sounds and Groups as Sound Source .....	142
10.2.2	Using an External Sound Source .....	145
10.3	Sampling .....	148
10.3.1	How to Sample .....	148
10.3.2	Editing, Slicing and Mapping Your Sample .....	151
10.4	The Mix View .....	152
<b>11</b>	<b>Quick Reference .....</b>	<b>155</b>
11.1	Using Your MASCHINE Controller .....	155
11.1.1	Controller Modes and Mode Pinning .....	155
11.1.2	Controlling the Software Views from Your Controller .....	158
11.2	MASCHINE Project Overview .....	161
11.2.1	Sound Content .....	161
11.2.2	Arrangement .....	163
11.3	MASCHINE Hardware Overview .....	166
11.3.1	Hardware Overview of the MASCHINE MIKRO MK1 Controller .....	166
11.3.1.1	CONTROL Section .....	167
11.3.1.2	TRANSPORT Section .....	171
11.3.1.3	PADS Section .....	172
11.4	MASCHINE Software Overview .....	176
11.4.1	Header .....	177
11.4.2	Browser .....	179
11.4.3	Arranger .....	181
11.4.4	Control Area .....	184

---

11.4.5	Pattern Editor .....	185
<b>12</b>	<b>Troubleshooting .....</b>	<b>187</b>
12.1	Knowledge Base .....	187
12.2	Technical Support .....	187
12.3	Registration Support .....	188
12.4	User Forum .....	188
<b>13</b>	<b>Glossary .....</b>	<b>189</b>
	<b>Index .....</b>	<b>197</b>

# 1 Welcome to MASCHINE

Thank you for buying MASCHINE!

MASCHINE is essentially the synergy of the MASCHINE controller hardware and the MASCHINE software combining the advantages of both worlds for making music, live as well as in the studio. The intuitive, hands-on qualities of a dedicated Instrument, the MASCHINE controller, with the advanced editing features and the versatility of the MASCHINE software turn it into the creative center of your musical productions.

You can create tight rhythms, harmonies and melodies — the highly enjoyable instrument combines a pattern-based sequencer, professional sampler, multiple studio and creative effects, and VST/AU plug-in host. Everything is intuitively controllable via the fully integrated hardware — once you touch the tactile controller the fun and intuitive workflow takes over, allowing you to stay focused on your music.

Since you can integrate it in any DAW that supports VST, Audio Units or the AAX format with multiple instances, you can profit from its abilities in almost any software setup or use it as a stand-alone application. You can sample your own material, slice loops and rearrange them easily turning your ideas into full productions.

However, MASCHINE is a lot more than an ordinary drum machine or sampler: It comes with an 8-gigabyte Library programmed and created by well-known artists and a sophisticated, yet easy to use tag-based Browser to give you instant access to the sounds you are looking for. But it doesn't stop there! You can create your own sounds and samples or use MASCHINE EXPANSION packs, available for purchase from the Native Instruments website to further enhance your library of sounds.

You can also control your external MIDI Hardware and Software with the MASCHINE controller and customize the functions of the pads, knobs and buttons to your needs, utilizing the Controller Editor Application.

We hope you enjoy the MASCHINE playground as much as we do. Now let's get going!

## 1.1 Documentation Overview

Native Instruments provide many information sources regarding MASCHINE. The main documents should be read in the following sequence:

1. **MASCHINE Getting Started** (this document)
2. **MASCHINE Manual**

Additional documentation sources provide you with details on more specific topics:

- **MASCHINE Hardware Control Reference**
- **Controller Editor Manual**
- **Online Support Videos**

Hereafter is a quick description of each of these documentation sources.



MASCHINE documents are available in PDF. You can also access these documents from the application's [Help](#) menu or the following location:  
[www.native-instruments.com](http://www.native-instruments.com).



Please check the Native Instruments website regularly for up-to-date and localized versions of these documents.

### 1.1.1 MASCHINE Getting Started Guide

This document provides a practical approach to MASCHINE via a set of tutorials covering easy and more advanced tasks in order to help you familiarize yourself with MASCHINE.

### 1.1.2 MASCHINE Manual

The MASCHINE Manual provides you with a comprehensive description of all MASCHINE software and hardware features.

### 1.1.3 MASCHINE Hardware Control Reference

The MASCHINE Hardware Control Reference provides an overview of a MASCHINE Project, the quick access options performed using the MASCHINE hardware controller, and lots of keyboard shortcuts.

### 1.1.4 Controller Editor Manual

Besides using your MASCHINE hardware controller together with its dedicated MASCHINE software, you can also use it as a powerful and highly versatile MIDI controller to pilot any other MIDI-capable application or device. This is made possible by the Controller Editor software, an application that allows you to precisely define all MIDI assignments for your MASCHINE controller. The Controller Editor was installed during the MASCHINE installation procedure. For more information on this, please refer to the Controller Editor Manual available as a PDF file via the [Help](#) menu of Controller Editor.

### 1.1.5 Support Channel Videos

You can find a number of support videos on The Official Native Instruments Support Channel under the following url: <https://www.youtube.com/NIsupportEN> We recommend that you follow along with these instructions while the respective application is running on your computer.

### 1.1.6 Other Online Resources

If you are experiencing problems related to your Native Instruments product that the supplied documentation does not cover, there are several ways of getting help:

- Knowledge Base
- User Forum
- Technical Support
- Registration Support

You will find more information on these subjects in the chapter [↑12, Troubleshooting](#).

## 1.1.7 In This Document

What you are reading now is the MASCHINE Getting Started. This document consists of a set of tutorials that will guide you through common workflows in MASCHINE. Please follow these tutorials in the described order. You will learn a little something in each of them which will be essential later on. On the way, you will get to know the main objects and concepts of MASCHINE. After reading this, you should have the basic know-how allowing you to make music with MASCHINE!



Even if you're already familiar with MASCHINE, all tutorials are worth a read as every chapter may have little workflow hints of which you weren't aware. Should you wish to revise a specific task covered in a later tutorial, be sure to check the prerequisites listed at the beginning of each chapter!

This document is structured as follows:

- The first part is this introduction.
- The second part (**Chapter 2 to 10**) holds the tutorials:
  - Chapter [↑2, First Steps](#): Load a drum kit from the factory library via the Browser, play this kit with the pads and use it to record a simple rhythmic pattern — all this using your MASCHINE controller only.
  - Chapter [↑3, Building Your Own Drum Kit](#): Customize your drum kit by quickly exchanging some of its sounds via the Browser and by adjusting some of the sounds' basic settings.
  - Chapter [↑4, Creating Beats](#): Record a second pattern and discover how to fine-tune your patterns.
  - Chapter [↑5, Adding a Bass Line](#): Add a bass line to your song using a VST/AU instrument plug-in in MASCHINE.
  - Chapter [↑6, Applying Effects](#): Add effects to the various instruments in your song and quickly automate the effect parameters.
  - Chapter [↑7, Creating Beats with the Step Sequencer](#): Create a Pattern, this time with the step sequencer — another great way of creating grooves from your controller.
  - Chapter [↑8, Creating Scenes](#): Arrange your Patterns into Scenes and play them live.

- Chapter [↑9, Creating an Arrangement](#): Assign your Scenes to Sections and Arrange your song.
- Finally, Chapter [↑10, Using Advanced Features](#) lets you take a glimpse at some advanced tasks and workflows covered in the MASCHINE Manual: changing Sound, Group, and Master Channel properties; using advanced routings; sampling and the Mix view.
- The third and last part (**Chapter 11 to 13**) consists of useful global information on MASCHINE to be used at any time:
  - Chapter [↑11, Quick Reference](#) provides you with a quick reference of the MASCHINE hardware controller and the MASCHINE software. It gives you a good overview of the main concepts and features of MASCHINE, along with lists of hardware shortcuts for various tasks. You can use it as a quick reminder before you dive into the MASCHINE Manual.
  - Chapter [↑12, Troubleshooting](#) gathers useful information for troubleshooting and getting help.
  - Chapter [↑13, Glossary](#) holds definitions of all the important terms and concepts used in MASCHINE.

### 1.1.8 Document Conventions

This section introduces you to the signage and text highlighting used in this document. This document uses particular formatting to point out special facts and to warn you of potential issues. The icons introducing these notes let you see what kind of information is to be expected:



Whenever this exclamation mark icon appears, you should read the corresponding note carefully and follow the instructions and hints given there if applicable.



This light bulb icon indicates that a note contains useful extra information. This information may often help you to solve a task more efficiently, but does not necessarily apply to the setup or operating system you are using; however, it's always worth a look.

Furthermore, the following formatting is used:

- Text appearing in (drop-down) menus (such as *Open...*, *Save as...* etc.) and paths to locations on your hard drive or other storage devices is printed in *italics*.
  - Text appearing elsewhere (labels of buttons, controls, text next to checkboxes etc.) is printed in **blue**. Whenever you see this formatting applied, you will find the same text appearing somewhere on the screen.
  - Text appearing on labels of the MASCHINE controller is printed in **orange**. Whenever you see this formatting applied, you will find the same text on the controller.
  - Important names and concepts are printed in **bold**.
  - References to keys on your computer's keyboard are in square brackets (e.g., "Press [Shift] + [Return]").
- ▶ Single instructions are introduced by this play button type arrow.
- Results of actions are introduced by this smaller arrow.

## Naming Convention

Throughout the documentation we will refer to **MASCHINE controller** (or just **controller**) as the hardware controller and **MASCHINE software** as the software installed on your computer.

The term "**effect**" is sometimes be abbreviated as "**FX**" when referring to elements in the MASCHINE software and hardware. These terms have the same meaning.

## Button Combinations and Shortcuts on Your Controller

Most instructions will use the "+" sign to indicate buttons (or buttons and pads) that must be pressed **simultaneously**, starting with the button indicated first. E.g., an instruction such as:

"Press **SHIFT** + **PLAY**" means:

1. Press and hold **SHIFT**.
2. While holding **SHIFT**, press **PLAY** and release it.
3. Release **SHIFT**.

## **Displayed Products**

Some images displayed in this document include products from the KOMPLETE and KOMPLETE ULTIMATE series. These products are not included with MASCHINE.

As an introduction to this range please install your free copy of KOMPLETE Selection. You will find the serial number in the DVD booklet. For more information please refer to the Setup Guide. For more information on KOMPLETE and KOMPLETE ULTIMATE please visit the Native Instruments website.

## **1.2 Labeling on your MASCHINE Controller**

---

## 2 First Steps

In this first tutorial, you will load a drum kit from the factory library, play it with the pads and record a simple rhythmic pattern.



For a complete overview of MASCHINE and its controls, please see section [↑11, Quick Reference](#).

### Prerequisites

Please carefully follow the instructions of the Setup Guide which can be downloaded in PDF format from the Native Instruments website. Once you have followed the Setup Guide, MASCHINE should be installed on your computer, its basic audio settings correctly configured, and the hardware controller connected to your computer. If this is not the case, please return to the Setup Guide for more information before going any further.

- ▶ Please start MASCHINE via one of the usual ways on your operating system — for example, by double-clicking the alias placed on your desktop during the installation procedure.

### A Project in MASCHINE

In MASCHINE, your whole song (or track) is called **Project**. A Project consists of all sounds, instruments, effects, settings, along with all arrangement information you will create — in other words, a Project holds everything defining your song.

- ▶ If you already started testing MASCHINE, please start again with a blank, new Project by clicking the [File](#) menu and choosing *New* or by using the shortcut [Ctrl] + [N] ([Cmd] + [N] on Mac OS X).

First you will learn how to load a drum kit using the MASCHINE software and then use your hardware controller to carry out the same procedure.



For a complete overview of a MASCHINE project, please see section [↑11.2, MASCHINE Project Overview](#).

## 2.1 Loading a Drum Kit from the Factory Library


First you will choose a complete drum kit from the huge factory library included with MASCHINE, and load it using the MASCHINE Browser. The Browser is your tool for finding, tagging and categorizing all types of objects used in MASCHINE.

A drum kit basically consists of several instruments — called **Sounds** in MASCHINE terminology. Those Sounds are put together into a **Group**, which represents the complete kit. In addition, A MASCHINE Project can have any number of Groups which are organized into **Banks**. The first Group bank is labeled **A1** to **H1** in the MASCHINE software and the second is labeled **A2** to **H2**, the third **A3** to **H3**, and so on. So let's look for a nice kit and load it into Bank 1 Group A which is selected by default when you start a new project.

### 2.1.1 Loading a Drum Kit from the Factory Library in the MASCHINE Software

In the MASCHINE software, the Browser is found in the left part of the window.

If you cannot see the Browser in the MASCHINE software, click the magnifying glass icon in the Header at the top of the MASCHINE window in order to show the Browser:




Enable the magnifying glass to display the Browser.


To load a drum kit, do the following:

1. Click the **LIBRARY** tab to open the **LIBRARY** pane.


- Click the Group icon to get a list of all available drum kits in the Library:



- In the Content selector to the right, click the NI icon to select only Native Instruments factory content:




- In the **TYPES** filter, select the **Kits**.  
The Browser will then display only kits in the Result list.



- Select the **Urban Kit** sub-type tag below to further refine your search.

6. Scroll down the Result list and double-click [EK-TL A Kit](#) to load this drum kit into Group A.



## 2.1.2 Loading a Drum Kit from the Factory Library using the Controller

On your controller, do the following:

1. Press **GROUP** + pad **13** (also labeled **A**) to select the first Group slot. This is where you are going to load our drum kit. While you hold **GROUP**, pad **13** should be lit in blue to indicate that it is selected.
2. Press the **BROWSE** button at the left of your controller. The **BROWSE** button lights up. In the display, you now are presented with a selection of choices.
3. Press **F1** above the display to select **FILTER**.

- Turn the Control encoder at the right of the display until you see **GROUP** at the bottom of the display.



This will allow you to browse Groups only.

- Press Right Arrow until you see **2/3: PRODUCT** at the bottom of the display.



- Turn the Control encoder to select **ALL**.



This way, you can browse all products.

- Press Right Arrow again until you see **3/3: TYPE** at the bottom of the display.




8. Turn the Control encoder until you see KITS.



Now you can browse all kits.

9. Press Right Arrow until you see 4/4: SUB-TYPE at the bottom left of the display.



10. Turn the Control encoder until you see URBAN KIT, to further limit the result list to this type of kits.
11. Now press **F2** above the display to select LIST.



12. Press **F3** above the display so that **+PAT** is *deselected*.



13. Turn the Control encoder until you see **EK-TL A KIT** at the bottom of the display.



14. Press the Control encoder to load that kit.

→ The drum kit is loaded into the first Group slot.

Now let's leave the Browser and get back to the default Control mode of your controller:

- ▶ Press the lit **BROWSE** button to leave the Browser (the button is unlit).

That's it! You just loaded a drum kit into a Group slot of MASCHINE. It is now ready to be played from the pads, as you will see in the next section.



The process of loading from the Browser is the same for all kinds of objects: In the Browser, after choosing the desired object, select the desired content, type, and sub-type, then scroll through the result list and select an object for loading.

## 2.2 Playing with the Pads

As soon as a Group is loaded (here the EK-TL A Kit) and the corresponding Group slot selected (here Group slot A), this Group can be played from the pads on your controller. Each pad triggers one of the Sounds included in the Group.

- ▶ Play the pads to get the feel of your controller: reactivity, sensitivity to the force you apply while playing (called velocity), etc.



If you don't hear any sound when playing on your pads, check that none of the buttons in the column to the left of the pads is accidentally lit (if any button is lit, press it to disable it).

While playing, take a look at your pads. You will note the following:

- When you press a pad, it flashes and then stays fully lit.
  - At any time, only one pad is fully lit. This is the pad you pressed last.
  - All other pads are half lit to indicate that they are loaded with a Sound ready to be played.
  - An unlit pad would indicate that it has no Sound loaded — hence, pressing it would not have any effect.
- ▶ Now press and hold the **GROUP** button.  
You will note the following:
    - All pads **13–16** and **9–12 (A–H)** except pad **13 (A)** and pad **14 (B)** are off, indicating that they are not loaded with anything.
    - Pad **13 (A)** is fully lit, indicating that Group slot A is currently selected. This means that the pads currently trigger the Sounds of this Group.
    - Pad **14 (B)** is half lit to indicate the next Group can be created here.
  - ▶ While holding **GROUP**, systematically press the pads from **9–16** to select them.  
You will note the following:

- The newly pressed pad is fully lit. If you release **GROUP** the pads can be used to trigger the Sounds of the selected Group. Since you haven't loaded anything in the other Groups yet, all the pads are unlit, except one of them (indicating that it is currently selected).

As you can see, MASCHINE communicates in both directions: The commands you give via the pads and buttons control the software, but the software also communicates information back to you via the display and the LEDs.

- ▶ Select the Group A again by pressing **GROUP** + pad **13 (A)** and continue playing on the pads to get familiar with them.

When you feel ready, move on to the next section, where you can record a little rhythmic pattern using this drum kit!

## 2.3 Recording Your First Pattern


Now that you feel comfortable with the pads, let's use them to live record some rhythm into a **Pattern**. A Pattern is a recorded sequence of notes played on the Sounds of the current Group. In each Group you can have an unlimited number of Patterns which are grouped into Pattern banks containing up to 16 Patterns each.

You can now use the transport controls, which are located at the bottom left of your controller:



The TRANSPORT section on your controller.

1. Press **PLAY** to start the sequencer.  
The **PLAY** button lights up. You won't hear anything yet because nothing has been recorded.
2. Press **SHIFT** + **PLAY** to activate the metronome so you get a rhythmical reference.  
You now hear the metronome indicating each beat, the first beat of each bar being indicated by a different note.
3. Play along to the metronome to get a feel for the tempo.
4. If you'd like to increase or decrease the tempo to make your playing feel more comfortable, press **MAIN** (above the display), then **F3** (above the display), then turn the Control encoder at the right of the display.  
The tempo value is indicated in the display.



You can also adjust the volume of the metronome by pressing **SHIFT** + **GRID** and turning the Control encoder.



It is recommended that you to start with a simple sequence using a few Sounds only (e.g., the kick and the snare on pads **1** and **2**). You will have the possibility to enrich your Pattern later!

When you feel ready, start the recording:

1. With the sequencer playing, press **REC** to enter recording mode.  
**REC** lights up.
2. Play the desired rhythm on the pads. By default, the recorded Pattern is one bar long.  
Your playing is recorded and directly played in loop. As long as you don't press **PLAY** again, the new Pattern keeps playing.
3. Press **REC** again to stop recording.

→ You just created your first Pattern!

You can now deactivate the metronome by pressing **SHIFT** + **PLAY** again and listen to your newly created rhythm.

▶ To stop the sequencer, press **PLAY** again.

### Quick Edits on Your Pattern

At any time, you can **undo** your last action by pressing **SHIFT** + pad **1** — whether you are currently recording or not. You can **redo** it by pressing **SHIFT** + pad **2**.



The undo and redo commands are global in MASCHINE: Almost any action in MASCHINE can be undone/redone!

At any time, you can enrich your Pattern by activating **PLAY** and **REC** again, and playing the pads. This way, you can progressively build up a complex Pattern step by step.

## 2.4 Playing with Your Pattern

Now that you have a nice Pattern, let's introduce a few powerful tools for playing your Pattern live.

### 2.4.1 Using Solo and Mute

Muting is used to bypass a Sound or a Group, whereas Solo is pretty much the opposite: Soloing a Sound or a Group mutes all other Sounds in that Group or all other Groups, respectively, so that you can listen to the selected Sound or Group alone. The combination of both is a useful means to play live and to test different sequences together.

When used on Sounds, the Solo only applies to the current Group: The Sounds in other Groups won't be affected.

### 2.4.1.1 Using Solo and Mute in the MASCHINE Software

#### Soloing a Sound

- ▶ To solo a Sound, right-click (on Mac OS X: [Ctrl]-click) the number on the left side of the Sound slot in the Pattern Editor.



Soloing the first kick Sound.

- ▶ To unsolo a Sound, right-click (on Mac OS X: [Ctrl]-click) the number again.

#### Muting a Sound

- ▶ To mute a Sound, click the number on the left side of the Sound slot in the Pattern Editor.



Muting a Sound.

- ▶ To unmute the Sound, click the number again.



By default, the Mute on Sounds is an event mute: events for muted Sounds are not triggered, but the audio coming from previous events might still be audible (reverb tail, etc.). You can also activate audio mute for Sounds to mute both events and audio — see the beginning of this section for more information.

### 2.4.1.2 Solo and Mute Sounds using the MASCHINE Controller

1. Press **PLAY** to start the sequencer.  
Your Pattern starts playing. You see each pad flashing as the corresponding drum is triggered.
  2. Press and hold the **MUTE** button at the bottom of your controller.  
All pads become fully lit. They continue flashing with the rhythm.
  3. While holding **MUTE**, press pad **1**.  
The pad turns half lit and you don't hear the kick drum anymore.
  4. While holding **MUTE**, press a few other pads to mute their Sound to your liking.
  5. While holding **MUTE**, press pad **1** again.  
The pad returns to being fully lit and the kick drum is playing again.
  6. While holding **MUTE**, press again the pads you just muted to bring their Sounds back.
  7. Release **MUTE**.
  8. Now press and hold the **SOLO** button (just above **MUTE**).  
Again, all pads turn fully lit and continue flashing with the rhythm.
  9. While holding **SOLO**, press pad **1**.  
Pad **1** stays fully lit while all other pads turn half lit and you can't hear their Sounds anymore.
  10. Now release **SOLO** and hold **MUTE** again.
  11. Press the half-lit pads one by one, progressively bringing each drum back in the mix.
- The combination of muting and soloing Sounds allows you to create effective breaks on the fly!



You can also solo and mute whole Groups by holding **SOLO** or **MUTE + GROUP** + pad (9–16) — since you only have one Group loaded, it would not make much sense yet.

## 2.4.2 Using Note Repeat

Note Repeat is a really handy way to play and program beats: it plays the selected Sound or note repeatedly at a given rate. You just need to hold a pad and its Sound/note will be steadily repeated until you release the pad.

- When using Note Repeat all pads will be both velocity and pressure sensitive, allowing for expressive drum rolls or dynamic basslines.
- Note Repeat is a great way to play percussion and drums live to create build-ups and breaks.
- Note Repeat can also come in handy to quickly record a regular beat when creating Patterns.
- Note Repeat is also interesting to use with tonal Sounds and you can access it from Keyboard mode to create synthesizer-like arpeggios.



Note Repeat can only be enabled using the controller.

1. Check that your Pattern is playing — if not, press **PLAY** to start the sequencer.
2. Hold the **NOTE REPEAT** button.
3. While holding **NOTE REPEAT**, hold any pad.  
The Sound of the pad is repeatedly triggered at the rate shown at the bottom of the controller's display.
4. Press **F1**, **F2** or **F3** above the display to select another repetition rate.

→ This is a handy way to add live ornaments to your Pattern!



Of course you can also use Note Repeat to program your Pattern (e.g., recording a continuous hi-hat).

## 2.5 Save Your Work!

A drum groove is an ideal starting point for the creation of a song. All the instruments you record afterwards will be based on the feeling of that rhythm. Before you get to adding new elements and editing your pattern, you should save your work right away.

### Saving your Work in the MASCHINE Software

1. Click [File](#).
2. Click [Save](#).  
The Save Project As dialogue opens
3. On your computer keyboard, type a name (e.g., “My First Project”) in the field and press [Enter] to confirm.

Your Project with its new Pattern is now saved on your hard disk. Should you close MASCHINE or open another Project, you will still be able to open this Project later.

### Saving your Work using the MASCHINE MIKRO MK1 Controller

1. To save your modifications to the Project, press **SHIFT + SAMPLING**.  
A message will appear on your MASCHINE controller software that asks you to look at the MASCHINE software. Since our current Project was not saved yet, MASCHINE asks you to name it before saving. For this, you need to get back to your computer. A Save Project As... dialog opened and is waiting for your input.
  2. On your computer keyboard, type a name (e.g., “My First Project”) in the field and press [Enter] to confirm.
- Your Project with its new Pattern is now saved on your hard disk. Should you close MASCHINE or open another Project, you will still be able to open this Project later again.

## 2.6 To Sum Up...

In this first tutorial, you have learned to:

- Load a Group using the Browser.
- Use the pads to play the Sounds of that Group.
- Record a simple Pattern with that Group.
- Use the Mute, Solo and Note Repeat features to create variations on the fly.
- Save the current Project for a later use.

Once you feel comfortable with these tasks, please proceed to the next tutorial, where you will customize our drum kit, and have a closer look at the MASCHINE software user interface.

## 3 Building Your Own Drum Kit

In this tutorial, you will exchange some of the Sounds of your drum kit, and adjust a few settings for your Project and your Group. On the way, you will discover some features of the MASCHINE software user interface.

### Prerequisites

It is assumed here that you have followed the previous tutorial. In particular, you already know how to:

- Load a Group using the Browser.
- Use the pads to play the Sounds of that Group.
- Record a simple Pattern with that Group.
- Save the current Project for a later use.

If you have any doubts about these tasks, please refer to chapter [↑2, First Steps](#) before proceeding!

### 3.1 Opening Your Project

If for any reason your tutorial Project is not currently open in MASCHINE (e.g., you opened another Project in the meantime), you first need to open it again. You can do this with the controller or in the software, for example using the MASCHINE Browser.



If you closed MASCHINE and started it again, your last Project should automatically load by default. If you changed this setting, follow these instructions to load the tutorial Project again!


If the tutorial Project is already open in MASCHINE, you can skip to section [↑3.2, Customizing Your Drum Kit](#).

Available both on your controller and in the software, the Browser will be the preferred way to open a project when working on your controller. Here you will use a nice feature of MASCHINE: Each file you created and saved in MASCHINE is automatically put in “User” content. Hence, you will select the User icon in the Content selector to quickly find your tutorial Project again.

## Opening a Project in the Software

In the MASCHINE software, the Browser is found in the left part of the window.


If you cannot see the Browser in the MASCHINE software, click the little magnifying glass in the Header at the top of the MASCHINE window in order to show the Browser:




Enable the magnifying glass to display the Browser.

To open the tutorial Project, do the following:


1. At the top left, click the button showing the Project icon to get a list of all available Projects in the Library:



2. In the Content selector to the right, click the User icon to select only the user-created Projects:



In the result list below, you now have one unique Project left — your “My First Project”:



3. Double-click this unique entry to load the Project in MASCHINE.



Of course, if you have already created other Projects in MASCHINE, they will also appear in the result list along with your tutorial Project.

## Opening a Project using the Controller

Now try operating MASCHINE via the MASCHINE MIKRO controller wherever possible. To open a Project via the controller, you will follow the same process as above, filtering MASCHINE objects to narrow your search until you find your tutorial Project. This is similar to what you did when loading a drum kit in the previous tutorial. Do the following:

1. Press **BROWSE** to show the Browser.  
The **BROWSE** button lights up.
2. Press **F1** to select **FILTER**.  
The display now shows the filter settings; you will adjust these to narrow your search.

- Press the Left or Right Arrow button under the display to select the FILETYPE field at the bottom of the display, then turn the Control encoder to select PROJECT. This indicates the type of files that will be displayed.



- Press **F3** to select USER.



USER will become highlighted to indicate you have chosen to filter results to User related content.

- Now press **F2** above the display to select the LIST (for “result list”). The display now indicates the type of file you are browsing (PROJECT) followed by the number of results after filtering (1 if you only created your tutorial Project until now).



- In case you already created more than one Project, turn the Control encoder until MY FIRST PROJECT appears at the bottom of the display.
- Press the Control encoder to load the Project.
- Press **BROWSE** to leave the Browser.

That's it! Now you can continue to work on your tutorial Project.



You will note that every action you did on the controller is directly mirrored in the Browser of the MASCHINE software. This is true in both directions!

## 3.2 Customizing Your Drum Kit

You might want to replace one or more drums from the Group “EK-TL A Kit” with ones that sound better with your Pattern. To do this, you must make use of the Browser again.

### 3.2.1 Selecting another Snare Sample

For the sake of providing an example, you will replace the Sample “Snare Ektl A 2” used in the Sound of the pad 6. You want something less intrusive.

#### Selecting another Snare Sample in the Software


You have already used the Browser in the software to open your tutorial Projects. Now use it for something else: This time, you won't select Types, but instead use the text search. This powerful feature allows you to instantly find items by name.

1. Click the Sound slot containing the “Snare Ektl A 2” that you want to replace:




The Sound slot 6 gets highlighted to indicate that it is selected.


- Click the Browser button in the top row to show the Browser within the MASCHINE window (the button becomes highlighted):




- In the top row of the Browser, click the Sample icon on the far right to get a list of all the available samples in the Library:



- Since you want to find a side stick, type “side stick” into the empty field above the list of Samples. As soon as you start typing, you will see the list below being updated to display Samples matching your query.



5. Now activate **Prehear** by clicking the Prehear button (with the loudspeaker symbol on it) at the bottom of the Browser:



6. Now you can listen to the available side sticks by clicking on their names in the list and choose one you like.
7. When you have found a nice side stick Sample, double-click it to load it in the Sound slot. You can also drag and drop it on the Sound slot.



You can also mix both search methods: You can simultaneously select specific Banks (and Types, Subtypes...) and type the desired search query in the Search field.

As with your controller, you can activate the **Autoload** feature to listen how the selected Sample work with the other percussions in your Pattern. To do this:

1. Click the Autoload button at the bottom left corner of the Browser to activate it (you can deactivate the Prehear button next to it):



2. Now click any Sample in the result list: It will automatically load in the selected Sound slot, replacing the previously loaded Sample. If the Pattern is playing, you can directly hear the new Sample in context.

Try to exchange a few Samples to familiarize yourself with the procedure described above, both on your controller and in the software. This should allow you to build a custom drum kit that fits your needs!

Note that you can also start from a blank Group and entirely fill it up with the Sounds of your choice!

## Selecting another Snare Sample on the Controller

On your controller, do the following:

1. Press **BROWSE** to show the Browser. The **BROWSE** button should be lit.
2. Press **F1** to select **FILTER**.
3. Press pad **6** to select its Sound.
4. Press Left or Right Arrow repeatedly until you see **FILETYPE** at the bottom left of the display.
5. Turn the Control encoder until you see **SAMPLE** below **FILETYPE**.  
The Browser will now show Sample files only.  
Press Right Arrow repeatedly to select **TYPE**.
6. Turn the Control encoder until you see **DRUMS** at the bottom right of the display.  
The Browser will now show the drum samples only... but the factory library still holds many hundreds of them, so you need to narrow your search a bit more.
7. Press Right Arrow again to select **SUBTYPE**.
8. Turn the Control encoder until you see **SNARE** at the bottom right of the display.  
The Browser will now show the snare drum samples only... but the factory library still holds many hundreds of them, so you need to narrow your search a bit more.
9. Press Right Arrow again to select **SUBTYPE#2**.
10. Now turn the Control encoder to select (for example) **SIDE STICK**.  
In the middle of the display, you now see that a few dozen of side stick samples are ready to be browsed.
11. Press **F2** to display the result list.
12. Press **F3** to activate the **Prehear** feature.
13. Use the Control encoder to scroll through all side stick samples. You can hear each sample that you select thanks to the enabled Prehear feature.
14. Once you have found a nice side stick sample, press the Control encoder to load it into the Sound slot currently selected (the one triggered by the pad **6**).

To help you decide which sample would fit best, MASCHINE offers you an additional, convenient help: **Autoload**. This allows you to replace the selected Sound on the fly with the Sound currently selected in the Browser's result list while your Pattern is playing. Thus, you can listen to each sample in the context of your Pattern. To do this:

1. Press **PLAY** to start the sequencer.  
The Pattern you created starts playing.
  2. Press **F3** to *deactivate* the Prehear feature. In the display, **PREH.** should not be enabled anymore.
  3. Now, instead of using the Control encoder for scrolling through the Samples, use the Left and Right Arrow buttons under the display.
- The selected Sample will automatically load into the Sound slot triggered by the pad **6**. Since your Pattern is playing, you will hear the selected Sample in place of the former "Snare Ektl A 2" Sample in the context of your recorded Pattern.



When you have found a nice Sample you don't need to explicitly load it, with Autoload it is already loaded in the Sound slot. Use page left and page right button under the display to audition other Sounds in the MASCHINE library.

### 3.2.2 Loading a Drumsynth

In this section you will learn you how to load Drumsynths in MASCHINE using the Plug-in List.

#### The Plug-in List

Before you load a Drumsynth, have a quick look at the Control area in the software:

1. Select the Group "**EK-TL A Kit**" (Group **A1**).
2. Select the Sound "**Kick Ektl A 2**"

Now have a look at the Control area:



The Control area showing some Sampler Plug-in parameters for your kick drum Sound.

To the left of the Control area, you can load an Internal, Native Instruments or External Plug-in into the Plug-in List. The Plug-in List allows you to load as many Plug-ins into its slots as you want. The processing order is from top to bottom (from the first Plug-in to the last).

Here is an example:

- In each Sound of the Group “EK-TL A Kit,” the first slot of the Plug-in List is the Sampler — the MASCHINE internal sampler. The Sampler is the sound source of each of these Sounds.

In MASCHINE, Plug-in slots are available at three different levels of your Project:

- **Sound level:** The first Plug-in slot is the only slot that can contain a sound source (e.g., a Sampler, Drumsynth, Native Instruments or External Instrument) or an effect. The other Plug-in slots can only contain effects (Internal, Native Instruments or External).
- **Group level:** Each Group also offers slots for effects that will process all Sounds of that Group together.
- **Master level:** There are additional slots for effects that will process the overall audio of your Project before it is sent to the master output.

## Loading a Drumsynth into a Plug-in List

To further customize your drum kit by fattening its low frequency content with another kick drum you can use one of the Internal Plug-ins included with MASCHINE: Drumsynth.

In MASCHINE, there are two different ways to load Plug-ins into the Plug-in List:

- **Using the Browser:** You have already used the Browser to load Projects, Groups, Samples, and Plug-ins. Similarly, you can use it to search for plug-in effects.
- **Using the Plug-in menu:** You can also choose the desired Plug-in directly from the Plug-in slot itself via the Plug-in menu.

Note that these methods work for the Sound, Group and Master level. However, Drumsynth can only be loaded into slots on the Sound level.



The difference between the two methods of loading a Plug-in is that the Browser allows you to find *presets* (from the factory library or user-created), while the Plug-in menu allows you to load Plug-ins in their default state.


Since you should be familiar with the Browser (if not, check for example section [↑2.1, Loading a Drum Kit from the Factory Library](#), [↑3.2.1, Selecting another Snare Sample](#)), you can use the Plug-in menu method of loading a Drumsynth.

### 3.2.2.1 Loading a Drumsynth into a Plug-in List in the Software


1. At the left of the Pattern Editor, click the Sound slot's name ([Kick Ektl A 2](#)) to select that Sound slot.




2. In the Control area above, click the **SOUND** tab to select the Sound level, since this is the only level at which Drumsynths can be loaded.



- At the far left of the Control area, click the small Plug-in icon to display the Plug-ins.




This displays the Plug-in List on the left of the Control area:




The Plug-in List in this instance contains [Sampler](#).

- Click the down-pointing arrow at the right to open the Plug-in menu.




The **Plug-in menu** opens and displays a list of all available effects.

- In this menu, click the *Drumsynth* submenu to display the Drumsynths.



6. Click the *Kick* entry to load it into the Plug-in List.



→ The Kick Plug-in is now loaded and is ready to be tweaked.


### 3.2.2.2 Loading a Drumsynth into a Plug-in List on the Hardware

1. Press **SELECT** + pad **5** to select the Sound Kick Ektl A 2.
2. Press **F3** to select the SOUND tab.



3. Press **NAV** + **F3** to select PLUG-IN.

4. Continue to hold the **NAV** button and press pad **1** to select the Plug-in slot.



Release **NAV**.

5. Press **SHIFT** + **BROWSE** to select an effect.  
If you would have pressed **BROWSE** alone here, you would have accessed the Browser. By additionally holding **SHIFT**, you access the Plug-in menu instead!
6. Press **F1** to select **FILTER**.  
This will allow us to narrow down the available effects to what you are looking for.
7. Turn the Control encoder until the Category field turns to **INSTRUMENT**.



8. Press the Page Right button to display **INTERNAL**.



9. Press **F2** to view the filtered list.



10. Turn the Control encoder to browse the available MASCHINE instruments. When the display shows **KICK**, press the Control encoder to load it.



11. Press **SHIFT + BROWSE** again to leave the Plug-in menu.

→ The Kick Plug-in is now loaded and ready to be tweaked.

### 3.2.3 Adjusting Volume, Swing and Tempo

After selecting the right Samples for your drum kit, you might need to adjust their levels. MASCHINE holds a powerful sampler that allows you to fine-tune many settings for each generated sound. Without entering into too many details yet, look at a quick way to adjust the volume level and swing for each Sound in your Group.

#### 3.2.3.1 Adjusting Volume, Swing and Tempo in the MASCHINE Software

##### Adjusting Volume

To adjust the various volume levels in the software, the following controls are at your disposal:

- ▶ To adjust the overall output level, click and drag the Master Volume slider located on the right part of the Header, at the top of the window.



Use the Master Volume slider in the Header to adjust the overall volume of MASCHINE.



You can also use Mix view to adjust your Sound and Group levels. Mix view gives you quick access to the level and routing settings of all your Sounds, Groups, and the Master. In addition, it provides you with an intuitive interface for adjusting the parameters of all your Plug-ins. More on this in section [↑10.4, The Mix View](#).

## Adjusting Swing

To adjust the overall Swing of your song, you can use the display in the Header, at the top of the MASCHINE window:



The SWING control in the Header.

- ▶ To adjust the Swing value of your Project, click the **SWING** value, hold the mouse button and drag vertically.

## Adjusting Tempo

To adjust the overall Tempo of your song, you can use the display in the Header, at the top of the MASCHINE window:



The BPM control in the Header.


- ▶ To adjust the Tempo (Beats Per Minute) value of your Project, click the **BPM** value, hold the mouse button and drag vertically.

### 3.2.3.2 Adjusting Volume, Tune and Swing using the MASCHINE STUDIO Controller

You can now adjust the volume, swing, tempo and tune for your overall Project, for each Group, and for each Sound individually using the Control encoder:

#### Adjusting Volume

1. Press the **MAIN** button to activate it (the button lights up).
2. Press **F1** to select **VOLUME**.



- ▶ To adjust the overall volume, simply turn the Control encoder. Press and turn the Control encoder to adjust the value in finer increments.
- ▶ To adjust the volume of a particular Group, press and hold the **GROUP** button, press the pad corresponding to the desired Group (the pad must be lit, here the pad **1** for your drum kit), and turn the Control encoder while holding **GROUP**. Press and turn the Control encoder to adjust the value in finer increments.
- ▶ To adjust the volume of an individual Sound, press and hold its pad, and turn the Control encoder. Press and turn the Control encoder to adjust the value in finer increments.

At any time, the display indicates the volume's current value.




It is recommended you try this while your Pattern is playing, you will immediately hear the effect of your changes!

#### Adjusting Swing

Now adjust the overall **swing** of your Project, too. The Swing feature shifts some of the played notes, hereby adding some “groove” to your Pattern. The procedure is similar to the one described above for the volume:

1. Press the **MAIN** button to activate it (the button lights up).
2. Press **F2** to select **SWING**.



3. Turn the Control encoder to adjust the overall Swing for your Project.
4. To adjust the swing of a particular Group, press and hold the **GROUP** button, press the pad corresponding to the desired Group (the pad must be lit, here the pad **1** for your drum kit), and turn the Control encoder while holding **GROUP**. Press and turn the Control encoder to adjust the value in finer increments.
5. To adjust the swing of an individual Sound, press and hold its pad, and turn the Control encoder. Press and turn the Control encoder to adjust the value in finer increments.

At any time, the display indicates the current value.



It is recommended you try this while your Pattern is playing, you will immediately hear the effect of your changes!.

## Adjusting Tempo

To adjust the overall **tempo** of your Project:

1. Press the **MAIN** button to activate it (the button lights up).
2. Press **F3** to select **TEMPO**.




- Turn the Control encoder to adjust the overall Swing for your Project.

At any time, the display indicates the current value.


## Adjusting Tune

To adjust the overall **tempo** of your Project:

- Press the **MAIN** button to activate it (the button lights up).
- Press **F3** to select **TEMPO**.



- ▶ To adjust the tune of a particular **Group**, press and hold the **GROUP** button, press the pad **1** for your drum kit, (**TEMPO** will change to **TUNE**) and turn the Control encoder while holding **GROUP**. Press and turn the Control encoder to adjust the value in finer increments.
- ▶ To adjust the Tune of an individual Sound, press and hold its pad, (**TEMPO** will change to **TUNE**) turn the Control encoder. Press and turn the Control encoder to adjust the value in finer increments.



At any time, the display indicates the current value.




It is recommended you try this while your Pattern is playing, you will immediately hear the effect of your changes!

### 3.2.4 Changing the Color of a Group or Sound

MASCHINE allows you to change the color of each Group or Sound. It can be very useful to see at a glance to identify certain groups or sounds.

Now assign different colors to the different types of percussions in your drum kit:

- ▶ Right-click ([Cmd] + click on Mac OS X) on the desired Sound slots or Group, select *Color* in the context menu, and select the desired color according to the type of percussion in that Sound slot.



Here is an example of how you could colour sounds:



Your drum kit full of colors.

This helps you see much quicker where the kicks, the snares, etc., are.



You can assign colors to your Sounds, Groups, Patterns, Scenes, and Sections. It's up to you to decide which colors to use. You can use colors to distinguish different sound types, purposes, or anything else that best fits your needs and workflow!



Changing the color of items is a software only feature.

### 3.2.5 Moving your Sounds and Groups

You can exchange the position of your Sounds and Groups at any time. This can be done in the MASCHINE software only. It can be helpful to organize your Sounds or Groups more conveniently. Notably, this allows you to move your Sounds to other pads, and create a Group that is easier to play from the pads.

Now exchange the positions of the “Kick Ektl A 2” and the “Snare Ektl A 1” in order to have both kicks on pads 1 and 2, and both snares on pads 5 and 6:

1. Click and hold the Sound slot 5 containing the “Kick Ektl A 2.”

- While holding the mouse button, drag your mouse up.  
As the mouse cursor moves up, an insertion line appears at the places where you can drop your Sound.



- When the insertion line appears under the other kick, release the mouse button.  
→ Your second kick takes place under the first kick in the Sound slot 2. It will now be triggered by the pad 2 on your controller.

In a similar manner, you will now move the “Snare Ektl A 1” to pad 5:

- Click and hold the Sound slot 3, which now contains the “Snare Ektl A 1.”
- While holding the mouse button, drag your mouse down. When the insertion line appears above the other snare, release the mouse button.  
→ Your first snare takes place above the second snare in the Sound slot 5. It will now be triggered by pad 5 on your controller.



Keep in mind that any change in the Sound slot positions also affects the pads triggering the corresponding Sounds! Hence, it is recommended you practice with your new mapping to avoid confusion.

### 3.3 Save Your Work!

Again, it is recommended to regularly save your work. You can then open another Project or close MASCHINE and take a break. Your tutorial Project will be recalled as is the next time you open it.

To save your work in the MASCHINE Software:

- ▶ Press [Ctrl] + [S] ([Cmd] + [S] on Mac OS X) to save your Project.

To save your work using the Controller:

- ▶ Press **SHIFT** + **SAMPLING** to save your Project.

## 3.4 To Sum Up...

In this tutorial, you have learned to:

- Open a Project using the Browser (both on your controller and in the software).
- Replace one of the Sounds from the original Group with another Sample taken from the factory library using the Browser.
- Replace one of the Sounds from the original Group with a Drumsynth.
- Adjust the overall volume of MASCHINE along with the individual volume levels of your Groups and Sounds using your controller.
- Adjust the overall Swing of your song, both on your controller and in the software.
- Change the colors of your Sounds, and possibly of your Groups, Patterns and Scenes (more on Scenes later).
- Move your Sounds across your Group to assign them to other pads on your controller.

Once you feel comfortable with these few tasks, proceed to the next tutorial, where you will learn more on Patterns!

## 4 Creating Beats

In this tutorial, you will further enhance your tutorial Project and do the following:

- Double your Pattern and fine-tune it.
- Add a second Pattern for breaks.



Even though you have only dealt with drum kits until now, MASCHINE is much more than a rhythm box. Indeed, it also does a great job with melodic instruments! For those who can't wait: Please be patient, you will add a bass line in the next tutorial.

### Prerequisites

It is assumed here that you followed the previous tutorials in chapter [↑2, First Steps](#) and [↑3, Building Your Own Drum Kit](#). In particular, you already know how to:

- Open a Project ([↑3.1, Opening Your Project](#)).
- Use the pads to play the Sounds of the loaded Group ([↑2.2, Playing with the Pads](#)).
- Record a simple Pattern with that Group ([↑2.3, Recording Your First Pattern](#)).
- Save the current Project for a later use ([↑2.5, Save Your Work!](#)).

If you have any doubts about these tasks, please refer to the previous tutorials before proceeding!

In case your tutorial Project “My First Project” is not open, please open it now:


- ▶ Open the tutorial Project “My First Project.”

### 4.1 Fine-tuning your First Pattern

You will start by improving your first Pattern using some of the powerful editing features of MASCHINE.

### 4.1.1 Your Pattern in the Software

First of all, have a quick look at the Pattern Editor in the software:



Your first Pattern displayed in the Pattern Editor.

In the Pattern Editor, you will note the following:

- At the top left (1), **EK-TL A Kit** indicates the name of the Group currently selected — that is, your customized drum kit.
- Under the Group name, you see a vertical list of all Sounds included in the Group (4). If the list does not fit into the screen, a vertical scroll bar at the right end of the Pattern Editor allows you to display the missing Sounds. At any time, the selected Sound slot is highlighted (in the picture above, the **Clap Ektl A 1**, triggered by the pad 1).

At the right of the Group name, you find a drop-down menu which reveals the Pattern Manager. This comprises the Pattern List view and Pattern Pad view (2). These represent the **Pattern slots** for that Group. At any time, the selected Pattern slot is highlighted both in the List view and in the Pad view (in the picture above, the Pattern slot 1). A Pattern contains the **events** (the notes) that plays Sounds from the current Group. More typically this is known as a sequence.

- The biggest area of the Pattern Editor (**3**), in the lower right part, displays the **events** (the notes) of the selected Pattern. In other terms, you see here what you recorded in [↑2.3, Recording Your First Pattern](#). Events mirror the colors of their respective Sounds. Vertical lines indicate the beats and their subdivisions. The thin white line at the top of the pattern indicates the current play position and the thin white line with a triangle is the pattern end marker. At the bottom, a horizontal scroll bar allows you to display other parts of the Pattern, in case it is too long to fit on your screen.

Now that you have a better overview of your Pattern, you can start fine-tuning it.

### 4.1.2 Doubling the Pattern

Your Pattern is currently one bar long. When played in a loop, it might get a bit monotonous. To solve this, you will exclusively use the controller to double the pattern length and add a little variation at its end.



This feature is only available when using your controller.

Do the following:


1. Press **PATTERN** and hold it.  
The display turns to Pattern mode and provide you with Pattern-specific options.



2. While holding **PATTERN**, press **F1** to select **DBL** (for “double”).  
In the software, you see that the Pattern now is twice as long, and all its events have been replicated in the second half of the Pattern.
3. Release the **PATTERN** button.
4. Press **PLAY** to listen to your Pattern.  
You don’t hear any difference yet, since both halves are exactly identical.

5. Press **REC** to start recording (the button lights up), and add a few notes with the pads when the second half of the Pattern is playing.
6. At any time, don't hesitate to undo/redo your last action(s) by pressing **SHIFT + pad 1** and **SHIFT + pad 2**, respectively.
7. Once you are pretty much satisfied with the ending of your extended Pattern, disable **REC** to stop recording.

→ You now have a 2-bar Pattern containing a new variation!



Your Pattern after doubling and having added a few kicks in the second half.

When recording, you don't necessarily need to be super-accurate in your playing: The next section will show you how the Quantize functions can correct the timing of your playing to a set of discrete values.

### 4.1.3 Quantizing the Rhythm

It takes a little practice to be very precise when playing the pads. Sometimes (especially if you're new to MASCHINE) your timing may be slightly off and this will be evident when you record your Pattern. MASCHINE has a solution for this! It's called quantization.

#### A Few Notes on Quantization

Here are a few points worth noting on quantization:

- The use of quantization notably depends on the music style of your song: In some cases, the rhythm must be perfectly tight, while in other cases, half-quantization (or even no quantization at all) would fit best.

- For now, you haven't selected any event yet, and quantization (or half-quantization) was applied to all events — in other terms, to the whole Pattern. If by chance you selected some events in your Pattern, quantization would be applied to these events only! This can be very useful if you want to build a tight rhythmic basis (e.g., kick and snare) while keeping specific events or Sounds “out of rhythm” (e.g., ornaments, slightly shifted hi-hat...). This can help create a powerful groove. For more information on selecting particular events in a Pattern, please refer to the Manual.
- You can change the resolution of the subdivisions to which events will be quantized.
- You can also quantize events directly when playing on the pads and/or recording! By default, this option is disabled. You can enable it in *Preferences > Defaults > Input > Quantize*. Please refer to the Manual for more information.

### 4.1.3.1 Quantizing the Rhythm in the MASCHINE Software

#### Zooming In Your Pattern

To check this, zoom on specific parts of your Pattern in the software. Go to the bottom of the Pattern Editor in the software where you find the horizontal scroll bar which can also be used as a Zoom tool:



The Zoom Tool in the Pattern Editor.


- ▶ Click either end of the horizontal scroll bar, hold the mouse button, and then drag your mouse left or right to zoom in/out.



Alternatively, you can click anywhere on the scroll bar and drag upwards or downwards to zoom in and out of your pattern.

At any time, you can click the middle of the horizontal and vertical scroll bars to display another part of the Pattern.

If you zoom in, you can see that some of your hits might not be accurate:



A detailed view of your live recorded Pattern: The first two kicks are late, the third one is in advance.

MASCHINE provides you with a powerful quantization feature that allows you to correct this to the desired extent.

### 4.1.3.2 Quantizing the Rhythm using the Controller

#### Quantizing Your Pattern

The process of **quantization** (sometimes called “note snap”) consists of forcing events to stick to the beats or to their subdivisions. This ensures that the rhythm is perfectly tight. On your controller, do the following:

- ▶ To quantize the events of your Pattern, press **SHIFT** + pad **5**.
- Your Pattern now plays perfectly tight. In the Pattern Editor, you can see that all events now are exactly on the beats or their subdivisions.


#### Quantizing Your Pattern, but Not Too Much

Sometimes, having beats perfectly tight might sound too “mechanical” and dull. Indeed, the groove often comes from all these little imperfections in the rhythm. Hence, to avoid losing the Pattern’s groove, MASCHINE lets you half-quantize your events: Events are moved half way toward the closest beat/subdivision. Thus, you get a tighter rhythm while keeping its human touch and groove.

- ▶ To half-quantize the events of your Pattern, press **SHIFT** + pad **6**.

You can apply half quantization several times in a row: Each time, events will move half of the remaining way to the beats/subdivisions.

Here is the effect of half-quantization and quantization on an event:



Original event, half-quantized event, and quantized event.



At any time, don't hesitate to undo/redo your last action(s) by pressing **SHIFT** + pad **1** and **SHIFT** + pad **2**, respectively.

## 4.2 Adding a Second Pattern


Now you can create another Pattern that you can use as a break in your song. This will introduce a few more tasks and features of MASCHINE, namely the selection of Patterns, the Pattern Length, and the Count-in.

### 4.2.1 Selecting a Pattern Slot

Until now, you only used the first of the 64 Pattern slots available in your Group. You will now select another Pattern slot, in which you will later record your second Pattern.

#### 4.2.1.1 Selecting a Pattern Slot in the MASCHINE Software

- ▶ At the top of the Pattern Editor, Click in the empty slot below Pattern 1 to create a new Pattern.



Click the slot below slot 1 to create a new empty pattern

→ Pattern slot 2 is now selected. Selecting an empty Pattern slot automatically creates a blank Pattern in it.

Note that the slots' lighting behavior in the software mirrors the pads' lighting behavior on the controller:

- Pattern slot 1 is half lit: There is a Pattern inside but the slot is not selected.
- Pattern slot 2 is fully lit: There is a blank Pattern inside and the slot is selected.
- All other Pattern slots are dark: They contain no Pattern.

#### 4.2.1.2 Selecting a Pattern Slot using the Controller

1. Press **PATTERN** and hold it.  
All pads light off except pad 1, which is fully lit. This indicates that all Pattern slots are empty except the first Pattern slot, which is additionally selected.
2. While holding **PATTERN**, press pad 2.

→ Pattern slot 2 now is selected. Selecting an empty Pattern slot automatically creates a blank Pattern in it.

Have a look at the pads:

- Pad 1 is half lit: There is a Pattern inside but the slot is not selected.
- Pad 2 is fully lit: There is a blank Pattern inside and the slot is selected.
- All other pads are unlit: They contain no Pattern.

#### 4.2.2 Adjusting the Pattern Length

You have already learned how to change the Pattern Length by doubling the Pattern: the Pattern's length was doubled and its content reproduced in the second half (see [↑4.1.2, Doubling the Pattern](#)). Here you will learn how to adjust the Pattern Length without affecting its events, if any.




You can adjust the Pattern Length at any time, even if you already put events in the Pattern. If you reduce the Pattern Length so that some events are not included in the Pattern anymore, these events have not been deleted: They stay at their location — if you extend your Pattern again, you can include them again.


### 4.2.2.1 Adjusting Pattern Length in the MASCHINE Software

In the software, you can change the Pattern Length in two ways:

- ▶ In the timeline of the Pattern Editor, click the right limit of the Pattern (indicated by a little triangle pointing to the left) and drag your mouse horizontally in the timeline to change the Pattern Length.



- ▶ At the top right of the Pattern Editor, click the value and drag your mouse vertically to change the Pattern Length.



### 4.2.2.2 Adjusting the Pattern Length using the Controller

1. Press **PATTERN** and hold it.  
At the bottom of the display, you see that the **LENGTH** parameter is currently set to 1:0:0, which means one bar.



2. While holding **PATTERN**, turn the Control encoder to set a new value for the Pattern Length.

→ The empty Pattern in the Pattern slot 2 now has a new length, as you can see in the software's Pattern Editor.



To change the resolution at which the Pattern Length can be resized, refer to the Manual for information on Arranger Grid.

### 4.2.3 Recording a new Pattern using the Count-in

Once your empty Pattern in Pattern slot 2 has the desired length, you are ready for recording. You have already learned how to record a Pattern by starting the sequencer when enabling the record mode, also using the metronome (see [↑2.3, Recording Your First Pattern](#)). Here you will learn another useful aid for recording: the Count-in.



You can change the Count-in *Preferences > General > Default Metronome Settings*.



Activation of Count-in is unavailable from the software. Please use your controller as described below.

1. Press **SHIFT** + **PLAY** to activate the Metronome.
2. Press **SHIFT** + **REC** to start recording using the Count-in.  
The metronome is automatically activated and plays a full bar *before* the sequencer and the recording actually start.
3. Play on the pads.  
Once the sequencer has started, your playing is recorded.
4. To stop the metronome, press **SHIFT** + **PLAY**. To stop the recording, press **REC** to disable it. To stop the sequencer, press **PLAY** to disable it.

The Count-in notably allows you to prepare yourself and e.g. get the downbeat on time!



You can change the Count-in *Preferences > General > Default Metronome Settings*.

## 4.2.4 Switching Patterns

Once you have recorded something in the second Pattern slot, you can check that both Patterns fit well together by instantly switching between both:

### 4.2.4.1 Switching Patterns in the MASCHINE Software

1. Click the Play button in the Header at the very top of the MASCHINE window to start the sequencer (the Play button must be lit).



2. Click Pattern slot 1 and 2 alternatively and listen how both Patterns fit together.




### 4.2.4.2 Switching Patterns using the Controller

1. Press **PLAY** to start the sequencer.
2. Press and hold **PATTERN**.
3. Press pad 1 and pad 2 alternatively and listen how both Patterns fit together.

## 4.3 Editing Patterns in the Software

In the MASCHINE software, the Pattern Editor allows you to precisely tailor new or existing Patterns. Only the main mouse actions are mentioned here.

- ▶ To create a new event, double-click into the grid at the desired location.



Double-click into the Grid to create an event. Right-click it to delete it.

- ▶ To clear an event, right-click ([Ctrl]-click on Mac OS X) it.
- ▶ To move an event, drag it (i.e. click it, hold the mouse button, drag your mouse to the desired location, and release the mouse button). Dragging horizontally will shift the event in time for the same Sound, while dragging it vertically will move it to another Sound while preserving its timing.
- ▶ To stretch an event, drag its right border (this makes more sense for melodic, sustained instruments than for percussive sounds).



When you create, drag or stretch an event, your action is automatically quantized according to the current quantization resolution.

You have Paint and Erase modes at your disposal for editing events in the Pattern Editor, including a Paint mode, multiple selection, copy/paste, etc. For more information, please refer to the Manual.

## 4.4 Save Your Work!

Again, it is recommended to regularly save your work. You can then open another Project or close MASCHINE and take a break. Your tutorial Project will be recalled as is the next time you open it.

To save your work in the MASCHINE Software:

- ▶ Press [Ctrl] + [S] ([Cmd] + [S] on Mac OS X) to save your Project.

To save your work using the Controller:

- ▶ Press **SHIFT** + **SAMPLING** to save your Project.

## 4.5 To Sum Up...

In this tutorial, you have learned to:

- Double a Pattern.
- Quantize or half-quantize a Pattern.
- Select different Pattern slots.
- Adjust the Pattern Length.
- Use the Count-in for recording.
- Edit Patterns in the software.

Once you feel comfortable with these few tasks, proceed with the next tutorial, where you will add a bass line to your song!

---

## 5 Adding a Bass Line

MASCHINE is not only about rhythm. It is also a full-featured sequencing environment and, as such, lets you create melodic parts as well. As an example, you will add a bass line to your song. More precisely:

- You will create a new Group with a nice bass Sound using a VST/AU plug-in synthesizer.
- You will record a few bass lines.
- You will adjust the Plug-in parameters to fine-tune the bass sound.

### Prerequisites

It is assumed here that you have followed the previous tutorials. In particular, you already know how to:

- Open a Project ([↑3.1, Opening Your Project](#)).
- Use the pads to play the loaded Sounds ([↑2.2, Playing with the Pads](#)).
- Select Pattern slots ([↑4.2.1, Selecting a Pattern Slot](#)).
- Record a Pattern ([↑2.3, Recording Your First Pattern](#)), possibly using the Count-in ([↑4.2.3, Recording a new Pattern using the Count-in](#)).
- Quantize a Pattern ([↑4.1.3, Quantizing the Rhythm](#)), and edit it in the software ([↑4.3, Editing Patterns in the Software](#)).
- Save the current Project for a later use ([↑2.5, Save Your Work!](#)).

If you have any doubts about these tasks, please refer to the previous tutorials before proceeding!

In case your tutorial Project “My First Project” is not open, please open it now:

- ▶ Open the tutorial Project “My First Project.”

## 5.1 Selecting another Group


Until now, you have only used the first Group available in your Project. Groups are labeled from A1 to H1. You will now select another Group and load a bass Sound into it. Loading the bass into a different Group slot will later allow us to handle it separately, and easily combine it with the existing drum kit Group and its Patterns.




In MASCHINE it is possible to have more than one Group bank! In this tutorial you will only be working with Group bank 1. Each Group bank contains 8 groups, and when a new bank is created the groups in each bank will be labeled sequentially; e.g. The Groups in Group bank 2 will be labeled A2 to H2 and Group bank 3 A3 to H3. For more detailed information on creating and selecting additional Group banks please refer to the Manual.

### 5.1.1 Selecting another Group in the MASCHINE Software

1. In the top part of the MASCHINE window, click the + sign to add another Group.



2. Click the name of the desired Group B1 to select it.



Click the Group slot's name to select that slot.

Upon selection, the Pattern Editor below switches to display the content of the newly selected Group slot. For now, this is still empty (no Sounds, no Patterns).

### 5.1.2 Selecting Another Group using the Controller

1. Press and hold the **GROUP** button.  
The top eight pads now represent the first eight Groups. All eight pads are unlit except pad **13**, which is fully lit and pad **14** which is half lit indicating that a new Group can be created here. All Groups are empty except the first Group (A), which is selected.
  2. While holding **GROUP**, press the pad **14** to select the second Group (B1).
- Group B1 now is selected.

Have a look at the pads:

- Pad **13** is half lit: There is a Group inside but the slot is not selected.
- Pad **14** is fully lit: The Group is selected.
- All other pads are unlit: The Groups are empty and not selected.

## 5.2 Renaming and Coloring the Group

As you loaded the drum kit into the Group A1 (see [↑2.1, Loading a Drum Kit from the Factory Library](#)), the slot automatically took the name of the loaded Group (“EK-TL A Kit”). Here you will manually rename the Group B1 to help keep your Project well organized.



This feature is only available from the MASCHINE software.

To rename a Group:

1. Double-click the Group name.



The Group name becomes highlighted.

2. Type a new name (e.g., “Bass”), then press [Enter] on your computer keyboard to confirm.

→ The new name replaces the default name.



A new name for the Group B.

Now quickly give your Groups different colors. The procedure is the same as for Sound slots (see → for a quick reminder):

- ▶ Right-click ([Cmd] + click on Mac OS X) each Group, select *Color* in the context menu, and select the desired color in the palette.



New colors for both Groups.

## 5.3 Loading a Plug-in Instrument for the Bass

In addition to using the internal sounds of MASCHINE, you may also use 32-bit and 64-bit VST/AU plug-ins from Native Instruments and third-party manufacturers. This notably allows you to make use of your favorite synthesizer and effect plug-ins!

MASCHINE already includes KOMplete Selection, this includes MASSIVE (the legendary synthesizer) PRISM (a modal synthesizer), SCARBEE MARK 1 (classic electric piano) and SOLID BUS COMP (a superior compressor) all from Native Instruments. Among other things MASSIVE is ideal for fat bass sounds — exactly what you need here.

### 5.3.1 Browsing the MASSIVE Presets

Not only is MASSIVE included with MASCHINE, but its factory library is fully integrated into the MASCHINE workflow and its preset sounds are directly available from the MASCHINE Browser. Hence, you can choose a bass sound with the common workflow you already used for loading a Group (see [↑2.1, Loading a Drum Kit from the Factory Library](#)) or a Sample (see [↑3.2.1, Selecting another Snare Sample](#)): By filtering your choices, you progressively narrow your search by selecting the MASCHINE object, by Product, Type, and Subtype.


### 5.3.1.1 Loading a Plug-in Instrument in the Software

In the software, do the following:


1. Click the name of the first Sound slot to select that slot.




2. Show the Browser if it is currently hidden (reminder: click the magnifying glass in the MASCHINE Header).
3. At the very top of the Browser, select the keyboard icon from the File Type selector.




4. Select the NI icon from the Content selector




- In the Product selector click the drop-down arrow.




- and select Massive.



- Click [All Sub-Banks](#) to reveal a list of all MASSIVE sub-banks installed on your computer.



- From the MASSIVE sub-bank menu click [Massive Factory](#). This will update the results list with only presets from this sub-bank.
- In the Tag Filter below, click [Bass](#) in the **TYPES** section.
- Click [Bass Line](#) in the Sub-Type section to further narrow your search.



→ You can now load a bass preset by double-clicking its entry in the result list below. But don't leave Browse mode yet: You will learn some useful features for choosing your bass in the next two sections.

### 5.3.1.2 Loading a Plug-in Instrument using the Controller


On your controller, do the following:

1. Press **GROUP** + pad **14** to select the Group slot B1.
  2. Press the pad **1** to select the Sound slot 1. Pad **1** should be fully lit.
  3. Press **BROWSE** to show the Browser. The **BROWSE** button should be lit.
  4. Press **F1** to select **FILTER**.
  5. If the bottom right part of the display is not highlighted (the attribute), press the Left or Right Arrow button until it is.
  6. Press Left Arrow repeatedly until you see **1/4: FILETYPE** at the bottom left of the display, then turn the Control encoder until you see **INSTRUMENT** at the bottom right of the display.  
The Browser will now show all instruments only.
  7. Press Right Arrow to select **2/4 PRODUCT**, then turn the Control encoder to select **MAS-SIVE**.
  8. Press Right Arrow to select **3/5 BANK**, then turn the Control encoder to select **MASSIVE FACTORY**.
  9. Press Right Arrow to select **4/6 TYPE**, then turn the Control encoder to select **BASS**.
  10. Press Right Arrow to select **5/6 SUB-TYPE**, then turn the Control encoder to select **BASS LINE**.
  11. Press **F2** to display the result list.
- You can now select the bass presets by turning the Control encoder, and load the selected preset into the selected Sound slot (Sound slot 1 in this example) by pressing the Control encoder. But don't leave Browse mode yet: You will learn about some useful features for choosing a bass in the next two sections.

### 5.3.2 Using Keyboard Mode

Since you are not browsing Samples, you don't have the Prehear feature at your disposal to choose a nice bass preset. Instead, you can make use of the Autoload feature (see [↑3.2.1, Selecting another Snare Sample](#) for more information).

- ▶ Click the Autoload button in the software to activate it, or use Buttons 5 and 6 on your controller to use the Autoload function.



→ Each preset is now automatically loaded into the Sound slot 1 when selected.

For now you can hear the presets only by pressing the pad 1, which triggers a single note (C3). This is not ideal for choosing a preset — not to mention for recording a bass line. Hence, for melodic instruments like your bass, MASCHINE provides another pad mode called **Keyboard mode**, in which the pads play **different notes of the same Sound**. Now switch to Keyboard mode.

### 5.3.2.1 Using Keyboard Mode in the Software

- ▶ At the left of the Pattern Editor, click the Keyboard View button (with a keyboard icon) to activate the Keyboard view.



The Keyboard View button.

The Pattern Editor shows a vertical keyboard at the right of the Sound slots. The rows in the grid now represent each note for the selected Sound slot, instead of representing each Sound slot.



The Keyboard mode on your controller and the Keyboard view in the software are strictly equivalent: By enabling the Keyboard View button in the software, you also switch your controller to Keyboard mode; by disabling the Keyboard mode on your controller, you also disable the Keyboard view in the software.

### 5.3.2.2 Using the Keyboard Mode on the Controller

- ▶ Press **SHIFT** + **PAD MODE** (at the left of the pads).
- From now on, your 16 pads will not trigger the 16 Sound slots of your Group, but instead 16 notes of the selected Sound. This will make both choosing a bass preset and recording a bass line much easier!



To disable this Keyboard mode, press **SHIFT** + **PAD MODE** again.

As long as the Keyboard mode is active, the **PAD MODE** button is half lit to remind you it is switched on.



Other pad modes are also available. For a detailed description of all pad modes, please refer to the Manual.

### 5.3.3 Adjusting the Base Key of the Pads on Your Controller

While trying out various bass presets on the pads, you will note that they are playing quite high notes. This is because your 16 pads play by default the notes from C3 to D#4 — not the most appropriate notes for playing bass. Hence, you need to lower the notes played by the pads.

1. Press and hold **PAD MODE**.
2. Press **F1** (KEYBD).
3. Press **F2** (OCT -) twice.
4. Release **PAD MODE**.

→ Your pads now play two octaves lower.



You can adjust this more precisely by changing the Base Key parameter available on the same Pad Mode screen of your controller: Press and hold **PAD MODE**, press Right Arrow repeatedly until you see 5/6: BASE KEY on the display, then turn the Control encoder to adjust the Base Key semi-tone by semi-tone.



This setting is only relevant for your controller: Indeed, in the software the vertical keyboard already displays all notes (use the vertical scroll bar on the right to display them all).

You now can choose a bass sound:

1. If you left Browse mode in the meanwhile, press **BROWSE** to enter it again.
2. Load various bass presets into Sound slot 1 and play them on the pads to choose the bass sound you would like to use.

Now choose the Sound “Analovue,” because it both has a nice bass content and some high-frequency ornaments. Moreover, it holds interesting rhythmic content synchronized to the Project tempo!

► Once you have found a bass to your liking, deactivate **BROWSE** to leave the Browser.



In this example you don't need to specifically load the selected Sound, since it is already loaded via the Autoload function.

## 5.4 Recording a Bass Line

You are now ready to record a bass Pattern. This will allow us to review many of the tasks you have learned until now.

### 5.4.1 Creating a Bass Pattern

On your controller, do the following:

1. Press **PLAY**.  
You hear your drum Pattern playing.
2. Practice with the bass to get familiar with your instrument.
3. When you feel ready, press **REC** (the button lights up) and start recording a bass line.
4. When you are done, deactivate **REC**.



Don't forget to reuse all you have learned in the previous tutorials for recording Patterns: using the metronome, using the Count-in, adjusting the Pattern Length, editing the recorded Pattern, etc. If you have any doubt about these tasks, please refer to the previous tutorials (notably in section [↑4, Creating Beats](#) and chapter [↑2.3, Recording Your First Pattern](#)).

### 5.4.2 Creating a Second Bass Pattern

A single bass line is obviously not enough for your whole song. Now record a second one that you could use as variation.

1. Switch to the second Pattern slot. As a reminder, you can do this on your controller by pressing **PATTERN** + pad **2**, and in the software by clicking on the Pattern slot **2** in the Pattern Editor.
2. Record a second Pattern. Again, don't hesitate to reuse the various Pattern recording/editing tasks that you have already learned.
3. Check that both Patterns fit well together by switching repeatedly between both Pattern slots.

### 5.4.3 Loading an Additional Bass Sound

To enhance your song further, you will load another bass Sound next to “Analogue.” This second bass could for example play rhythmic lines with somewhat higher frequencies.

#### Selecting the Sound Slot 2

Before you load another Sound, you first need to select another Sound slot — e.g., Sound slot 2.

In the software, you can select Sound slot 2 as usual by clicking its name in the Pattern Editor.

On your controller, you will notice that pressing pad 2 only is not working for selecting Sound slot 2: Indeed, since your pads are in Keyboard mode, they don't play/select each Sound slot but play each note of the same Sound slot 1. To circumvent this, do the following on your controller:

1. Press and hold **SELECT**.
2. Check that **QUIET** is selected at the top of the display. If not, press **F1** to select it.
3. While still holding **SELECT**, press pad 2 to select Sound slot 2.

→ Sound slot 2 is now selected.



Holding **SELECT** while pressing the pad selects the Sound slot regardless of which pad mode is active; on the contrary, pressing the pad only does not select the Sound slot if the Keyboard mode is active. Moreover, when holding the **SELECT** button, you don't hear the Sound when you press the pad — hence the label **QUIET** in the display. This can be very useful when your song is playing and you don't want the audience to hear your selection!



You can also press **SELECT** (and **F1** if necessary) to visually check on your pads which Sound slot is currently selected!

## Loading and Recording Another Bass

- ▶ Once Sound slot 2 is selected, repeat the steps described above in this tutorial to load another bass Sound and to record bass lines with that Sound in the same Patterns 1 and 2 as you did for the first bass. For example, try with the Sound “Ad Voca” as a second bass!

## Choosing Colors for Your Bass Sounds

Now choose different colors for the two bass Sounds as you did for the Sounds of the Group “EK-TL A Kit” (see →):

- ▶ Right-click ([Cmd] + click on Mac OS X) on each Sound slot, select *Color* in the context menu, and select the desired color.

## 5.5 Accessing the Plug-in Parameters

Once installed, MASSIVE is fully integrated into MASCHINE. Not only does this mean that its factory presets are available in the MASCHINE Browser, but also that the MASSIVE parameters themselves are available from within MASCHINE. Here, you will discover another area of the MASCHINE software’s user interface: the **Control area**.

The Control area is located in the middle of the MASCHINE software window.




The Control area showing the MASSIVE plug-in parameters for your bass Sound “Analovue.”

The Control area allows you, among many other things, to adjust the parameters of your Plug-ins.


Here, you want to display the Plug-in parameters for your first bass Sound “Analovue.”

### 5.5.1 Accessing the Plug-in Parameters in the Software

1. At the left of the Pattern Editor, click the Sound slot's name (*Analovue*) to select that Sound slot.




2. In the top left part of the Control area, click the **SOUND** tab to select it (it should be highlighted).



3. In the Plug-in List below, click *Massive* to select it.



- The Control area now displays the parameters of your bass Sound “Analovue.” You can check this by looking in the left part of the Control area:



The Control area indicating which parameters are displayed.

The large part of the Control area to the right is called the **Parameter area**. This gives you access to the desired parameters:



The parameters for the Sound “Analovue.”

These parameters are organized into pages that you can select for displaying by clicking the little labels at the top of the Control:



The pages allow you to display further parameters for your plug-in.

On each page, you can click and drag the knobs to adjust the corresponding parameters.

## Example

As an example, adjust the amplification level of the second oscillator in your “Analovue” preset. Do the following:

1. Click the **Osc2** label at the top of the Control area to select the **Osc2** parameter page. The Control area now displays the parameters of that page.
2. Click the fourth knob (**Osc2Amp**) and drag your mouse vertically to adjust the value.



You can fine-adjust the parameter value by holding down [Shift] on your computer keyboard while you drag the mouse!

## 5.5.2 Accessing the Plug-in Parameters using the Controller

1. Press **F3** to select **SOUND**. This displays parameters for the selected Sound slot.
2. If the Sound slot 1 containing the “Analogue” Sound is not currently selected, select it by pressing **SELECT** + pad **1**.
3. Press **NAV** + **F3** to select **PLUG-IN** (more on this later). The display should now look like this:



→ You now have access to the parameters of your bass Sound “Analogue.” At the bottom of the display, the selected parameter and its value are displayed.



The selected parameter and its value displayed at the bottom of the display.

To adjust any parameter from your controller, do the following:

1. Use the Left/Right Arrow buttons to select a parameter.
2. Turn the Control encoder to adjust the parameter value.

### Example

As an example, adjust the amplification level of the second oscillator in the “Analovue” preset. Do the following:

1. Hold the **NAV** button and press the Right Arrow button repeatedly to select **OSC2**.
2. Press Left/Right Arrow buttons to select **4/8: OSC2AMP** (i.e., “Amplification parameter of Oscillator 2”, which is the fourth parameter in that page).
3. Turn the Control encoder to adjust the value of the Amplification parameter.



You can fine-adjust the parameter value by pressing and turning the Control encoder!

## 5.6 Save Your Work!

Again, it is recommended to regularly save your work. You can then open another Project or close MASCHINE and take a break. Your tutorial Project will be recalled as is the next time you open it.

To save your work in the MASCHINE Software:

- ▶ Press [Ctrl] + [S] ([Cmd] + [S] on Mac OS X) to save your Project.

To save your work using the Controller:

- ▶ Press **SHIFT** + **SAMPLING** to save your Project.

## 5.7 To Sum Up...

In this tutorial, you have learned to:

- Select different Groups and rename them.
- Load a VST/AU plug-in instrument into a Sound slot.
- Use the Keyboard mode on your controller (and the Keyboard view in the software) to play and record melodic instruments.
- Adjust the Base Key when using Keyboard mode.
- Adjust the Plug-in parameters both from your controller and in the software (using the Control area).

Once you feel comfortable with these few tasks, proceed with the next tutorial, where you will add effects to your Sounds and Groups.

---

## 6 Applying Effects

Now that you have created a few Patterns, you can spice them up with some effects.

MASCHINE provides a healthy selection of effects (FX) that can be loaded in the form of Plug-ins. Each Sound, each Group and the Master can have an unlimited number of insert effects loaded in their Plug-in slots. In each Plug-in slot you can load an Internal, Native Instruments or External Effect Plug-in.



Effects can also be applied to external audio or set up as send effects. These tasks will be covered in the Manual.

In this tutorial, you will:

- Apply effects to various Sounds and Groups of your tutorial Project.
- Tweak the loaded effects.
- Automate the effect parameters.

### Prerequisites

It is assumed here that you followed the previous tutorials. In particular, you already know how to:

- Select Groups (Selecting Another Group).
- Select Sounds by pressing their pad or clicking the Sound slots in the software.
- Access the parameters of an instrument plug-in (Accessing the Plug-in Parameters).

If you have any doubts about these tasks, please refer to the previous tutorials before proceeding!

In case your tutorial Project “My First Project” is not open, please open it now:

- ▶ Open the tutorial Project “My First Project.”

## 6.1 Loading Effects

In this section you will learn how to load effects in MASCHINE.

### 6.1.1 The Plug-in List

Before you load an effect, have a quick look again at the Control area for the bass Sound “Analovue” in the software (see Adding a Bass Line):

1. Select the Group “Bass” (Group B).
2. Select the Sound “Analovue.”

Now have a look at the Control area:



The Control area showing some MASSIVE plug-in parameters for your bass Sound.

To the left of the Control area, you can load an Internal, Native Instruments or External Effect Plug-in into the Plug-in List. The Plug-in List allows you to load as many Plug-ins into its slots as you want. The processing order is from top to bottom (from the first Plug-in to the last).

Here are a few examples:

- In the Sound “Analovue,” the first slot in the Plug-in List is the MASSIVE plug-in. This Plug-in is the sound source of this Sound “Analovue.”
- In each Sound of the Group “EK-TL A Kit,” the first slot of the Plug-in List is the Sampler — the MASCHINE internal sampler. The Sampler is the sound source of each of these Sounds.

In MASCHINE, Plug-in slots are available at three different levels of your Project:

- **Sound level:** The first Plug-in slot is the only slot that can contain a sound source (e.g., a Sampler, Drumsynth, Native Instruments or External Instrument) or an effect. The other Plug-in slots can only contain effects (Internal, Native Instruments or External).
- **Group level:** Each Group also offers slots for effects that will process all Sounds of that Group together.
- **Master level:** There are additional slots for effects that will process the overall audio of your Project before it is sent to the master output.



If you use an effect plug-in in the first slot of a Sound, you will find this Sound slot as a bussing point for other signals in MASCHINE. For detailed information on this, please refer to the Manual.

### 6.1.2 Loading an Effect into a Plug-in List

Now try to further shape your “Analogue” bass line by fattening its low frequency content while enhancing its overall warmth. For this, you will use one of the Internal Plug-in effects included with MASCHINE: the Saturator.

In MASCHINE, there are two different ways to load Plug-ins into the Plug-in List:

- **Using the Browser:** You have already used the Browser to load Projects, Groups, Samples, and Plug-ins. Similarly, you can use it to search for plug-in effects.
- **Using the Plug-in menu:** You can also choose the desired Plug-in directly from the Plug-in slot itself via the Plug-in menu.

Note that these methods work for the Sound, Group and Master level.



The difference between the two methods of loading an effect is that the Browser allows you to find effect *presets* (from the factory library or user-created), while the Plug-in menu allows you to load effects in their default state.


Since you should be familiar with the Browser (if not, check for example section Loading a Drum Kit from the Factory Library, Selecting another Snare Sample, Browsing the MASSIVE Presets...), you will use the Plug-in menu method of loading effects.

### 6.1.2.1 Loading an Effect into a Plug-in List in the Software


1. In the top part of the MASCHINE window, click the Group **Bass** to select it.




2. In the Control area below, click the **SOUND** tab to select the Sound level, since you want to apply the saturation to a Sound.




3. The actual Sound that you assign the effect to is always the one in focus. Hence, at the left of the Pattern Editor, click the Sound slot's name (**Analovue**) to select that Sound slot.



- At the far left of the Control area, click the small plug icon to display the Plug-ins.




This displays the Plug-in List on the left of the Control area:




The Plug-in List in this instance contains [Massive](#).

- Click the “+” icon below to open the Plug-in menu.



The **Plug-in menu** opens and displays a list of all available effects.

6. In this menu, click the *Saturator* entry to load it.



→ The Saturator plug-in is now loaded and is ready to be tweaked.



If you have VST/AU effect plug-ins installed you may also load them from the menu by selecting the *Native Instruments* (for Native Instruments products) or *External* (for third-party products) submenu at the top of the list.



If you wish to load a Plug-in at the Group level, just follow the same procedure except at the second step click the **GROUP** tab instead of the **SOUND** tab! Similarly, if you wish to load a Plug-in at the Master level (to process the audio of the whole Project), click the **MASTER** tab at this step.


### 6.1.2.2 Loading an Effect into a Plug-in List using the Controller

1. Press **GROUP** + pad **14** to select the Group “Bass” containing the bass lines.
2. Press **SELECT** + pad **1** to select the Sound “Analogue.”

- Press **F3** to select the SOUND tab.



- Press **NAV + F3** to select PLUG-IN.
- Continue to hold the **NAV** button and press pad **2** to select the next free Plug-in slot.



Release **NAV**.

- Press **SHIFT + BROWSE** to select an effect.  
If you would have pressed **BROWSE** alone here, you would have accessed the Browser. By additionally holding **SHIFT**, you access the Plug-in menu instead!
- Press **F1** to select **FILTER**.  
This will allow you to narrow down the available effects to what you are looking for.
- Turn the Control encoder until the Category field turns to **INTERNAL** (for MASCHINE internal effects).



9. Press **F2** to view the filtered list.



10. Turn the Control encoder to browse the available MASCHINE effects. When the display shows **SATURATOR**, press the Control encoder to load it.



11. Press **SHIFT + BROWSE** again to leave the effect selection.

→ The Saturator Plug-in is now loaded and ready to be tweaked.



To load a Plug-in at the Group level, please follow the same procedure except at the third step press **F2** (GROUP) instead of **F3** (SOUND). Similarly, to load a Plug-in at the Master level (to process the audio of the whole Project), press **F1** (MASTER) at this step.

## 6.2 Playing with Effects

Once the Saturator Plug-in is loaded into the Plug-in List, you will find its parameters displayed in the Control area when the Saturator effect is selected:



When Saturator is selected from the Plug-in List, the Control area displays its parameters.

## 6.2.1 Adjusting the Effect Parameters

To adjust the effect parameters to your needs. The method is basically the same as when you adjusted the parameters for the MASSIVE plug-in in Accessing the Plug-in Parameters.




Press **PLAY** on your controller or the [Space] bar on your computer keyboard to start the sequencer. This way, you can directly hear how your settings affect the sound!

### 6.2.1.1 Adjusting the Effect Parameters in the MASCHINE Software

In the Control area, you can quickly adjust each parameter with the mouse:

1. Click in the display of the **Mode** selector at the left and select the *Tube* entry in the menu that opens.



Upon your selection, the other parameters change in the Parameter area, giving you access to settings specific to this saturation mode.

2. To adjust the various parameters, click and drag the knobs to change their values, and click the buttons to activate/deactivate them.

### 6.2.1.2 Adjusting the Effect Parameters using the Controller

1. Press **ENTER**
2. Press **NAV + pad 2**
3. Press Left Arrow button repeatedly until the Parameter field reads **1/4: MODE** at the bottom of the display.
4. Turn the Control encoder until the Parameter field reads **TUBE**. This selects the Tube mode of the Saturator.
5. Continue to scroll the various other parameters by pressing the Right Arrow and adjust their values by turning the Control encoder.

### 6.2.2 Practice Makes Perfect!

Don't hesitate to practice with loading effects in different places of the tutorial Project and adjusting their parameters. For example:

- You could load a Chorus on the Sound "Snare Ektl A 1" of the drum kit Group to slightly widen its sound (use a low value for the **Mix** parameter of the effect).
- In that same drum kit Group, you could apply a slowly evolving Flanger on the Sound "Shaker Ektl A" to make it livelier.
- On the way, you will note that the drum kit Group itself ("EK-TL A Kit") already has a Maximizer applied that processes the whole drum kit. Why not load a subtle Reverb to make the kit sound more natural?

### 6.2.3 Bypassing Effects


Bypassing effects might come in handy whenever you want to return to a dry, unaltered signal: Such as after applying so much Reverb that you can't hear the dry signal anymore or to get rid of the feedback while using the Delay for example. Bypassing effects is also a great tool when playing live!

### 6.2.3.1 Bypassing Effects in the MASCHINE Software

1. At the top left of the Control area, click the tab of the level (either **SOUND**, **GROUP** or **MASTER**) where you want to bypass the effect.
2. If you want to bypass an effect at the Sound or Group level, make sure you have the right Sound (click it on the left of the Pattern Editor) and/or Group (click it on the left of the Arranger) selected.
3. Now click the **FX** icon (in Arrange view) at the left of the effect name in the Plug-in List. To bypass the effect.



The effect unit does not affect the sound anymore. The effect is grayed out to indicate that it is now bypassed.



4. To reactivate the bypassed effect, click its **FX** icon.



Bypassing effects can be very useful when adjusting effect parameters in order to compare the sound with/without an effect. But more than this, bypassing effects is also a powerful creative tool when playing live!

It's also possible to bypass effects directly from the Mix view. When in Mix view click the small square at the left of the effect name in the Plug-in List. Click again to reactivate the effect.



For detailed information on Mix view and using effects, please refer the Maschine Manual.

### 6.2.3.2 Bypassing Effects using the Controller

1. Depending on the level (Master, Group or Sound) the effect you want to bypass is located, do the following:
  - Effect on Master: Press **F1** (MASTER).
  - Effect on a Group: Press **F2** (GROUP) to select the Group level, then press **GROUP** + pad **9–16** to select the desired Group.
  - Effect on a Sound: Press **F3** (SOUND) to select the Sound level, press **GROUP** + pad **9–16** to select the desired Group, then press the desired pad (or **SELECT** + the desired pad if the Keyboard mode is active) to select the corresponding Sound.
1. Now press and hold **SHIFT** + **NAV**.  
All pads turn off except those that represent active effects.
2. Press the desired pad to bypass the corresponding effect.  
The effect unit does not affect the sound anymore. The pad turns dimmed to indicate that this Plug-in is now bypassed.
3. To reactivate the bypassed effect, press again **SHIFT** + **NAV** + the pad in question.

## 6.3 Modulating Effect Parameters

One of the really cool features of MASCHINE is the ability to **modulate** parameters from the Control area in a very easy way — both from the controller and in the software. Modulating a parameter means recording an offset to its value over time in order for these changes to be played back again automatically in your song. The modulation data is saved into the current Pattern. As an example, you could use this to create a filter sweep played in loop with your Pattern.



Modulation is not limited to effects: In MASCHINE, you can modulate just about any parameter at the Group or Sound level as soon as it has a continuous range of values — in other terms, almost any parameter controlled by a knob in the Parameter area!

## 6.3.1 Recording Modulation

Now try to record some simple modulation for the effect parameter of your choice.

### 6.3.1.1 Recording Modulation in the MASCHINE Software

If you take a closer look at the knobs in the Parameter area you will notice they have an outer ring. This ring serves for recording modulation:

- ▶ To record modulation, check that your song is playing, click the outer ring of the desired knob and then drag it vertically.



Recording modulation for a parameter.

- You will note that the colored ring usually representing the current value of the parameter turned to a colored little dash. This dash follows the movements you just recorded.

To remove modulation, do the following:

- ▶ To remove the modulation for a parameter, right-click ([Ctrl] + click on Mac OS X) on its outer ring.
- The dash in the outer ring turns back to the usual indicator for unmodulated parameters.

### 6.3.1.2 Recording Modulation using the Controller

To automate a parameter from your controller:

1. Press **PLAY** to start the sequencer.
2. Press **NAV**, and then the relevant pad to select the Plug-in slot containing the effect you want to automate.

- Press the Left/Right Arrow buttons to put the focus on the parameter you want to automate.




- Press and hold **SHIFT**, and turn the Control encoder.
- Your modulation gets recorded now. On the next loop, the parameter changes will be reproduced.



There is also another way to record modulation from your controller: the step sequencer. More on this in [↑7, Creating Beats with the Step Sequencer!](#)

### 6.3.2 Editing Modulation

You edit any recorded modulation in the software. For this, the Control Lane is at your disposal at the bottom of the Pattern Editor:



The Control Lane displays the changes you recorded for each automated parameter.

To edit the modulation:

- Click the desired parameter in the list of automated parameters (on the left) to select it.
- Drag the modulation points vertically in the Control Lane.



For more information on editing modulation and automation, please refer to the Manual.

## 6.4 Save Your Work!

Again, it is recommended to regularly save your work. You can then open another Project or close MASCHINE and take a break. Your tutorial Project will be recalled as is the next time you open it.

To save your work in the MASCHINE Software:

- ▶ Press [Ctrl] + [S] ([Cmd] + [S] on Mac OS X) to save your Project.

To save your work using the Controller:

- ▶ Press **SHIFT** + **SAMPLING** to save your Project.

## 6.5 To Sum Up...

In this tutorial, you have learned the following:

- The concept of Plug-in List (and Plug-in slot).
- The hierarchic structure of a Project (Sound level, Group level, and Master level).
- How to load Plug-ins using the Plug-in menu.
- How to adjust Plug-in parameters.
- How to bypass Plug-in slots.
- How to automate Plug-in parameters.

Once you feel comfortable with these few tasks, proceed with the next tutorial, where you will discover another great way for creating beats: the step sequencer.

## 7 Creating Beats with the Step Sequencer

In this chapter you will learn a different way to create Patterns from your controller: the Step mode. The Step mode turns your controller into a fully featured step sequencer. If you are familiar with classic drum machines, you should quickly feel at home. Throughout this tutorial, you will also discover more about the Step Grid and quantization settings.

In this tutorial, you will:

- Switch the controller to Step mode and create a new Pattern in this mode.
- Adjust the Step Grid.
- Use Step mode to record modulation.

### Prerequisites

It is assumed here that you have followed the previous tutorials. For this tutorial you will especially need to be acquainted with the following topics:

- Quantization basics (Quantizing the Rhythm)
- Pattern Length (Adjusting the Pattern Length)
- Adjusting Plug-in parameters (Accessing the Plug-in Parameters and [↑6.2, Playing with Effects](#))
- Modulation ([↑6.3, Modulating Effect Parameters](#))

If you have any doubts about these tasks, please refer to the previous tutorials before proceeding!

In case your tutorial Project “My First Project” is not open, please open it now:

- ▶ Open the tutorial Project “My First Project.”

## 7.1 Building Up a Beat in Step Mode

Until now, you recorded all Patterns “live”: You hit the various pads at the desired moments while the sequencer was playing and the sequencer directly recorded your hits. This is the recording workflow when the controller is in Control mode. On the contrary, in **Step mode** you progressively build up the Pattern by programming a sequence for each individual Sound of the selected Group. Notably, the sequencer does not need to be playing.

### 7.1.1 Using Step Mode

On your controller, do the following:

1. Press **GROUP** + pad **13** to select Group A (with the drum kit).
2. Press **PATTERN** + pad **3** to select the Pattern slot 3 (still empty).
3. Hit the pad with the Sound you want to sequence.
4. Press **SHIFT** + **NOTE REPEAT** to enter Step mode.  
Each pad now represents one step of a 16-step sequence: you can activate each step by pressing a pad once, lighting it up. If you press the pad again, the step is removed. This way it's quick and easy to create a drum pattern.
5. Press **PLAY** to start the sequencer.  
Now you will hear the sequence and see a light chasing through the pads, starting from pad **1**, going up all four rows from left to right and ending at pad **16**. You may continue to activate or deactivate pads to build your sequence during playback.
6. To switch to another Sound, press **SELECT** and the pad with the Sound you want to sequence.

→ Progressively, you build up a new Pattern.

At any time, you can leave Step mode and get back to Control mode:

- ▶ Press **SHIFT** + **NOTE REPEAT** to get back to Control mode.

For now, stay in Step mode — to learn a few more things in this mode.



If you decided to create a pattern more than one bar long, you can use the left and right arrow to switch between each bar or alternatively press **F1 FOLLOW** and MASCHINE will automatically follow the pattern and display the steps on the pads accordingly.

### 7.1.2 Adjusting the Pattern Length in Step Mode

At any time, you can adjust the Pattern Length directly from the Step mode:



At any time, you can adjust the Pattern Length just like in Control mode (see --- MISSING LINK ---):

- ▶ Hold **PATTERN** and turn the Control encoder to adjust the Pattern Length.

Only 16 steps will be represented on your pads, so if you want to program longer Patterns, you will have to switch to the previous/next 16 steps:

- ▶ Press the Left/Right Arrow button to switch to the previous/next 16 steps of the Pattern or alternatively, press **F1 FOLLOW** and MASCHINE will automatically follow the pattern and display the next 16 steps of the pattern on the pads as the sequence plays.

In Step mode, the bar at the bottom of the display always indicates which part of the Pattern is currently represented on your pads:



The 16 pads representing the full Pattern (left) or only half of it (right).

## 7.2 Adjusting the Step Grid

As you have probably noticed, until now your beats were split into four steps each. In other words, the steps' default size is 1/4th beat (or quarter note), that is 1/16th note (i.e. sixteen steps fill a whole note). The set of all available steps is called **Step Grid**. The Pattern Editor is the place where you create/edit the events of your Pattern. The Step Grid is the grid that is used for the Pattern Editor.

The Step Grid resolution — in other terms the step size — directly affects the precision of all Pattern editing actions, including quantization. As mentioned above, its default value is 1/16th. However you may use another Step Grid resolution or disable the Step Grid completely.




Although Step Grid is introduced here in the context of the Step mode, please note that the Step Grid equally affects both the Step mode (size and number of steps) and the Control mode (quantization resolution)!

As an example, you might want to reduce the step size from 1/16th note to 1/32nd note. This will allow you to place notes more precisely in the Pattern.

### 7.2.1 Adjusting the Step Grid in the MASCHINE Software

In the Pattern Editor the Step Grid is represented by vertical lines on each step and each beat:



The Step Grid with the default resolution (1/16th note).


To change the Step Grid resolution, do the following:

1. Click the Step menu at the bottom left of the Pattern Editor.



2. Select the desired step size in the list that opens.

You can directly see your modification to the Step Grid resolution:



The Step Grid after selecting 1/32nd in the Step menu.



Selecting another step size in the Step menu does not move any event in your Pattern. Instead, any edit (position, length) that you make to your events will now snap to the new step size, and in Step mode you have access to other steps on your controller.



If you select *Off* in the Step menu, the Step Grid is disabled. Nevertheless, the default step size (1/16th note) is still used to define your events in Step mode.

Similarly to changing the Pattern Length, changing the Step Grid resolution can result in a greater amount of steps in your Pattern than what your sixteen pads can represent. In that case, as described earlier, you can use the Page buttons to display the previous/next sixteen steps of your Pattern.

## 7.2.2 Adjusting the Step Grid using your Controller

On your controller, to change the Step Grid resolution, do the following:

1. Press and hold the **GRID** button.

- Press **F3** to select **STEP** and access the Step Grid's resolution setting. The resolution is indicated at the bottom of the display.



- Turn the Control encoder to adjust the value.

## 7.3 Save Your Work!

Again, it is recommended to regularly save your work. You can then open another Project or close MASCHINE and take a break. Your tutorial Project will be recalled as is the next time you open it.

To save your work in the MASCHINE Software:

- ▶ Press **[Ctrl] + [S]** (**[Cmd] + [S]** on Mac OS X) to save your Project.

To save your work using the Controller:

- ▶ Press **SHIFT + SAMPLING** to save your Project.

## 7.4 To Sum Up...

In this tutorial, you have learned to:

- Switch the controller to Step mode.
- Use Step mode to record Patterns.
- Record modulation in Step mode.
- Adjust the Step Grid resolution.

Once you feel comfortable with these few tasks, proceed with the next tutorial, where you will discover how to build a full arrangement for your song!

## 8 Creating Scenes

In the previous tutorials you created a few Patterns for the drum kit Group and bass Group. Using these Patterns you can now start to create your own Scenes. A Scene is made of a variable number of Patterns that each represent a certain part of the song — e.g., intro, verse, chorus, break, another verse... Scenes are a very flexible way to create each part of your song.

In this tutorial, we will:

- Create Scenes by combining together the Patterns we created in the previous tutorials.
- Become familiar with Scene handling and prepare them for the Arranger.
- Discover various MASCHINE tools for performing live.

### Prerequisites

It is assumed here that you have followed the previous tutorials. In particular, you already know how to manipulate Groups ([↑5.1, Selecting another Group](#)) and Patterns ([↑4.2, Adding a Second Pattern](#)). If you have any doubts about these tasks, please refer to the corresponding tutorials before proceeding.

Furthermore, we assume that while following the previous chapters you accumulated a reasonable amount of Patterns for each Group (at least three or four Patterns per Group). If this is not the case, we invite you to do it now as you will need them to compose your song.

If your tutorial Project “My First Project” is not open, please open it now:

- ▶ Open the tutorial Project “My First Project.”

### 8.1 Working with Scenes

The place where you assign Patterns to Scenes is in the Arranger, located in the top right part of the MASCHINE window.

This is how Scenes work:

- Only one Scene is played at a time.

- In each Scene, you can choose to play one particular Pattern from each Group. For example, in Scene 1 we play the Pattern 1 of the Group “EK-TL A Kit” (our drum kit) together with the Pattern 2 of the Group “Bass” (our bass lines).
- In addition, a Pattern can be played in several Scenes: In fact, a Scene only contains a **reference to your Pattern**, and you can place as many references to this Pattern as you want in different Scenes. When you modify your Pattern in the Pattern Editor, all references to it are updated accordingly. This flexibility allows you to quickly experiment with different Patterns to find out how they sound together.

## 8.2 Assigning Patterns to Scenes

By default a Scene is created when a new Project is started, and **as soon as you select a Pattern slot** an empty Pattern is created in the selected Scene. Since you selected quite a few Pattern slots in both Groups while following the previous tutorials, Scene 1 already contains Patterns for each existing Group in the Arranger.



Scene 1 containing two Patterns: Pattern 1 from the Drum Group and Pattern 2 from the Bass Group.

To select a particular Pattern slot in the selected Scene for playback you must select the Pattern slot:

- ▶ Press **PATTERN** + the corresponding pad on your controller or click the desired Pattern slot in the Pattern Editor.

By repeating this for each Group you want to use in the selected Scene, you quickly compose your Scene.

It is recommend that you create Scenes while the sequencer is playing:

- ▶ Press **PLAY** on your controller or the [Space] bar on your computer keyboard to start the sequencer. This way, you can directly hear if the various Patterns sound good together.

In previous tutorials, when you pressed **PLAY** the first Scene played because it was selected by default. This is a general rule: **The selected Scene is played in a loop.** As an example, we will now build the second Scene.

## Choose Your Own Workflow!

You can follow various workflows when composing Scenes:

- In the procedure described in this chapter, we'll compose Scenes one by one (first selecting a new Scene, then choosing Patterns to include from the various Groups available, then selecting the next Scene, etc.). This method allows you to quickly see how well Patterns from different Groups fit together.
- But you could also compose Scenes “Group by Group,” by first selecting a particular Group (for example, the drum kit), filling a few Scenes with Patterns from that Group, then selecting the next Group, etc. This method puts the focus on how well Patterns fit together in the series of Scenes — notably this can be useful to check your transitions are working.
- You could also use any combination of the workflows mentioned above to develop a method that best fits your own way of making music! For example, you could prepare a series of rhythmic Patterns for a number of Scenes, and then go on filling Scenes one by one for the other more melodic Groups.

### 8.2.1 Creating other Scenes in the MASCHINE Software

In the software, do the following:

1. In Ideas view, click the **+** button to the right of the first Scene.



- Click the desired Patterns for Scene 2.



The selected Patterns will play when Scene 2 is selected.



- By repeating these two steps for all Groups you want to use in this Scene, you progressively build up a new Scene.

You might also want to remove a Pattern from a Scene:

- ▶ To remove a Pattern from a Scene, simply click it.
- The Pattern is removed from the Scene. You will note that the corresponding Pattern has only been dimmed and not deleted. You can click the Pattern again to reselect it for the Scene.

## 8.2.2 Creating other Scenes using the Controller

Let's select the second Scene:

- Press **SHIFT** + **SCENE** to enter Ideas view.
- Press and hold the **SCENE** button.  
The pads now represent available Scenes. For the moment only pad 1 is lit: This indicates that Scene slot 1 is selected and all other slots are empty.

3. While holding **SCENE**, hit pad **2** to select Scene 2.  
Pad **2** lights up brightly to confirm its selection.  
Pad **1** turns half lit, indicating that Scene 1 is not currently selected.
  4. Release the **SCENE** button.
- Scene 2 is now selected. If the sequencer is playing, you won't hear anything because this Scene is still empty.

Now we can select one Pattern in each Group to include in this new Scene:

1. Press **GROUP** + the desired pad (**9** to **16**) to select a Group you want to use in Scene 2.
  2. Press **PATTERN** + the desired pad to select the Pattern you want to use in Scene 2.
- A Pattern has now been selected for Scene 2. By repeating these two steps for all Groups you want to use in this Scene, you progressively build up a new Scene.

You might also want to remove a Clip from the selected Scene:

- ▶ To remove the Pattern for the selected Group from the selected Scene, press **PATTERN** + **SHIFT** + **F3** (REMOVE).
- The Clip is removed from the Scene. You will note that the corresponding Pattern is still there.



You can press **SHIFT** + pad **1** / pad **2** at any time to undo/redo your actions.

## 8.3 Managing Scenes

Now that we have created a few Scenes of interest, we want to organize them to make it easier to arrange them into a song when we add them later to the Arranger. For this, the Ideas view provides you with many editing facilities. Let's introduce the most important ones.

### 8.3.1 Renaming and Coloring Scene Slots

As with Sound slots and Groups, you can change the name and color of your Scene slots for a better visual organization — especially useful in a live situation, and for organizing parts of your song! Renaming and Coloring can only be done in the software.

- ▶ To rename a Scene slot, double-click its current name, type a new name, and press [Enter] on your computer keyboard.



Typing a new name for the first Scene slot.

- ▶ To assign another color to a Scene slot, right-click ([Cmd] + click on Mac OS X) the Scene slot's label, select *Color* in the context menu, and select the desired color in the palette.



You can also choose custom names and colors for your Pattern slots. Please refer to the Manual for more information on this.


### 8.3.2 Duplicating and Deleting Scenes

MASCHINE offers you various editing tools for your Scenes and Scene slots. Here are some examples using your controller and a few more using the MASCHINE software.

#### 8.3.2.1 Duplicating and Deleting Scenes in the MASCHINE Software

To duplicate a Scene in the Ideas view:


- ▶ Right-click ([Cmd] + click on Mac OS X) for example the Scene slot 2 and select *Duplicate* in the context menu.



- The content of Scene slot 2 is copied to the next Scene column and all other Scenes are moved one Scene to the right.

To delete a Scene in the Ideas view:

- ▶ Right-click ([Cmd] + click on Mac OS X) for example the Scene slot 2 and select *Delete* in the context menu.



- The content of Scene slot 2 is deleted and all other Scenes are moved one Scene to the left.

### 8.3.2.2 Duplicating and Deleting Scenes using the Controller

To duplicate or delete a Scene using your controller:

1. Press **SHIFT** + **SCENE** to enter Ideas view.
2. Press and hold **SCENE** to enter Scene mode (or pin it by pressing **SCENE** + **MAIN**).
  - ⇒ The display shows both the name of the currently selected Scene slot.
3. Press for example pad **2** to select Scene slot 2.
4. Press **F2** (**DUPL**) to duplicate this Scene slot.
  - ⇒ A new Scene slot is inserted right after Scene slot 2 with the same properties and content. The existing Scene slots are shifted one slot to the right to make way for the new entry.  
Note that the duplicate slot is automatically selected.
5. Press **F3** (**DELETE**) to remove this new Scene slot from your arrangement.
  - The Scene slot is removed. Scenes to the right of the removed Scene are shifted one slot to the left to fill the gap.

## 8.4 Playing Live

At last we come to the real point of the Scenes: playing your song!

### Creating a Studio Track or Performing Live

If you are composing a studio track that you plan to export as is, you can assign your Scenes to Sections in the Arranger view and arrange your song so that your whole track can be played in one go from the very first Scene to the very last one. For more information on arranging your song and using Sections see [↑9, Creating an Arrangement](#).

If you are preparing a track for a live performance, you will probably want to trigger different Scenes using the pads. To help with this MASCHINE provides a few very useful tools.

#### 8.4.1 Jumping to Other Scenes

MASCHINE provides you with two additional settings to fine-tune the jumps between the current Scene and the next Scene:

- The **Perform Grid** setting lets you choose the point at which the playhead has to leave the current Scene. It can be at the very moment at which you select another Scene, or at a set interval: on the next eight note, quarter note, etc., or even at the end of the Scene.
- The **Retrigger** allows you to set whether the playhead will start from the point equivalent to where the playhead leaves the current Scene or from the beginning of the next Scene. The former (default setting) ensures that the global groove of your track is not interrupted!

### 8.4.1.1 Jumping to Other Scenes in the MASCHINE Software

In the Arranger, you will find the **SYNC** menu and the *Retrigger* check box in the header:



The SYNC and Retrigger controls.

- ▶ To adjust the Scene Sync setting, click the **SYNC** menu and select the desired entry in the menu, for example *Scene*.
- The next time you select a new Scene or loop range, the switch will happen on the next Section.
- ▶ To enable/disable the Retrigger setting, click the *Retrigger* check box from the drop-down menu.



- The next time you select a new Scene or loop range, it will start from the beginning.

### 8.4.1.2 Jumping to Other Scenes using the Controller

To adjust the Perform Grid setting:

1. Press and hold **GRID** to enter Grid mode (or pin it by pressing **GRID + MAIN**).
2. Press **F1** to select **PERF**.

At the bottom of the display you see the current Perform Grid value. The default value **SCENE** means that the next time you select a new Scene, the switch will happen once the current Scene has played to the end.

1. Turn the Control knob to select the desired value, for example  $1/4$  (quarter note).  
→ The next time you select a new Scene, the switch will happen on the next quarter note.

To adjust the Retrigger setting:

1. Press and hold **SCENE** to enter Scene mode (or pin it by pressing **SCENE + MAIN**).
2. Press the Arrow Right button until  $3/3$ : **RETRIGGER** is displayed.  
⇒ At the bottom of the display you see the current Retrigger value (**OFF** by default).
3. Turn the Control knob to select **ON**.  
→ The next time you select a new Scene, it will start from the beginning.

## 8.5 To Sum Up...

In this tutorial, we have learned to:

- Create a Scene using our Patterns.
- Select a Scene for playing.
- Pin the various controller modes.
- Rename, color, duplicate, and delete Scenes slots.

Once you feel comfortable with these few tasks, proceed with the next chapter, where you can quickly assign your Scenes to Sections to create an arrangement.

## 8.6 Save Your Work!

Again, it is recommended to regularly save your work. You can then open another Project or close **MASCHINE** and take a break. Your tutorial Project will be recalled as is the next time you open it.

To save your work in the MASCHINE Software:

- ▶ Press [Ctrl] + [S] ([Cmd] + [S] on Mac OS X) to save your Project.

To save your work using the Controller:

- ▶ Press **SHIFT** + **SAMPLING** to save your Project.

## 9 Creating an Arrangement

The chapter explains how to arrange your song using MASCHINE. If you followed the previous tutorials you will have created a few **Patterns** for the drum kit Group and bass Group and added them to **Scenes** using the Ideas view. To create a structured arrangement it is necessary to add Scenes to **Sections** in the Arranger view.

In this tutorial, we will:

- Learn how to switch from the Ideas view to the Arranger view.
- Learn how to create Sections.
- Learn how to assign Scenes to Sections using both the software and hardware.
- Get familiar with Section handling and prepare our song for production.

### Prerequisites

It is assumed here that you have followed the previous tutorials. In particular, you already know how to manipulate Groups ([↑5.1, Selecting another Group](#)), Patterns ([↑4.2, Adding a Second Pattern](#)) and that you have created a reasonable amount of Scenes ([↑8, Creating Scenes](#)). If you have any doubts about these tasks, please refer to the corresponding tutorials before proceeding.

If your tutorial Project “My First Project” is not open, please open it now:

- ▶ Open the tutorial Project “My First Project.”

### 9.1 Accessing Arranger View

The tutorials have so far only focused on the Ideas view where you created Patterns and assigned them to a Scene. Now you have created several Scenes you can start to add them to the Timeline in the Arranger view.

The Arranger view is where you can sequence Scenes to create your final arrangement. This process involves creating a Section on the Timeline and assigning a Scene to it. Any Scene that exists in the Ideas view can be assigned to a Section in the Arranger view. You can change

the length of the Section (determining the playback length of the Scene) or re-order the Sections as you see fit. You can also re-use the same Scene in multiple Sections in the timeline, or you can choose to assign no Scene to the Section at all.


One powerful aspect of the relationship between the Ideas view and Arranger view is that the content in these two areas are actually one-in-the-same. This means that if you make a change to a Scene it will affect all other instances of that Scene automatically. If you place a Scene in three different Sections of the Timeline and then proceed to change the Patterns assigned to that Scene, the other two instances of that Scene also play the newly-assigned Patterns. It's therefore very easy to make changes to individual Patterns and Scenes after the arrangement has been made and immediately hear the results in the context of the arrangement, and those changes can be made in either Ideas or Arranger view.

To access the Arranger view:

- ▶ Click the Arrangement view toggle button.



The Arranger view is located in the top right part of the MASCHINE window and is where you organize your Sections in order to build up a song. The Arranger is empty when you open it for the first time, but it provides you with unlimited Section slots. Each slot can contain one Scene.




The empty Arranger view.

This is how Sections work:

- The Arranger view is a timeline where playback of your Sections progresses from left to right.
- Only one Section is played at a time.
- Each Section contains one only Scene.

### 9.1.1 Creating your First Section


To begin arranging you must start to populate the timeline with Scenes from the Ideas View. There will be no Sections when you first enter the Arranger view.



Arranger view with no Sections

To create a new Section:

- ▶ In the Arranger, click the + button above the first column.



→ A new empty Section is created.

To create a new Section in the Arranger view using your controller:

1. Press **SHIFT** + **SCENE** to access the Arranger view.

2. Press **SCENE** + pad 1


→ A new empty Scene is created.

### 9.1.2 Assigning a Scene to a Section


Now you have created an empty Section on the timeline of the Arranger, you can now add a Scene from the Ideas view to the Arranger view and start to arrange your song.

To add a Scene to a Section on the timeline of the Arranger:

- ▶ Right-click ([Cmd] + click on Mac OS X) a Section slot and click *Select* in the context menu, then for example, select *Scene 2* from the submenu.



→ The selected Scene is added to the Section.



To assign a Scene to a Section in the Arranger view using your controller:

1. Press **SHIFT** + **SCENE** to access the Arranger view.
2. Press **SCENE**, then press the right arrow button to select **SCENE**.

3. Turn the Encoder to select the Scene you want to assign to the Section.

→ The selected Scene is assigned to the Section.

By repeating this for each new Section, you can quickly assign Scenes to the Timeline of the Arranger view.

## 9.2 Managing Sections

Now that you have added your Scenes to a few Sections, you can start to organize them into a song. For this, the Arranger view provides you with many editing facilities.


### 9.2.1 Adjusting the Length of a Section

Before you start to adjust the length of a Section, it's important to understand a few rules on how Sections, Scenes and Patterns are displayed within the Arranger view:

By default the length of a Section is automatically set to the longest Pattern used within the Section (Auto Length), unless the length of the Section is manually set to a specific bar range (Manual Length).

- **Auto Length:** By default, the length of a Section corresponds to the longest Pattern used in the referenced Scene. Inserting a new Pattern that is longer than the Section automatically extends the Section. Removing the longest Pattern from the Section automatically shrinks the Section. Extending/shrinking the longest Pattern automatically extends/shrinks the Section accordingly.
- **Manual Length:** A Section can be manually adjusted to a set length. This can be shorter or longer than the Pattern contained within the referenced Scene. Inserting or removing Patterns from the Scene will not alter the length of the Section, however the length of a Section can be altered by dragging the mouse directly in the timeline or by using your MASCHINE controller.
- If a Pattern is shorter than the Section it is placed in, it is automatically repeated until the end of the Section (the last repetition might be shortened). These repetitions are automatically generated and cannot be edited. They reference the same Pattern placed at the beginning of the Section. Repetitions of a Pattern are indicated by darker blocks in the Ar-

ranger, and a Truncated Pattern marker will appear on the right-hand side of the Section to indicate that a section of the Pattern is hidden:



- If a Section has been manually shortened, only the visible part of the Pattern within the set length will be audible.
- Scenes always start at the beginning of the Section.


### 9.2.1.1 Adjusting the Length of a Section Using the Software

Variable Section length allows you to lengthen or shorten a Scene without altering the referenced Patterns. This is particularly useful as it avoids the need to create a new version of a Scene when you only want to extend or truncate a Scene to make it fit an arrangement.

When the right end marker of a Section is extended beyond the length of a Scene, the referenced Patterns are repeated. When the right end marker of a Section is dragged so it is shorter than the referenced Scene, only the part visible part of the Patterns are audible.

To lengthen a Section:


- ▶ Click and drag the end marker of the Section to the right.




→ The Scene will be repeated if the adjustment is longer than the referenced Pattern.

To shorten a Section:

- ▶ Click and drag the end marker of the Section to the left.



- The Scene will be shortened, and if the adjustment is shorter than the referenced Pattern a small Truncated Clip marker will appear on the right-hand side of the Section to indicate that a part of the Scene is hidden. Only the visible part of the Scene will be audible during playback.



When adjusting the size of a Section the following rules apply:

- The value set in the Arrange Grid is used for length increments.
- When [Shift] is pressed while changing the length, the value set in the Step Grid is used.
- The minimum length a Section marker can be dragged without modifier is one Arrange Grid increment.
- When [Shift] is pressed, the minimum length a Section marker can be dragged is one Step Grid increment.
- The minimum length of a Section equals the minimum Scene length. This can only be achieved if Arrange Grid or Step Grid is set to **Off**.

### 9.2.1.2 Adjusting the Length of a Section Using the Controller

To adjust the length of a Section using your hardware controller:

1. Press **SHIFT** + **SCENE** to access Arranger view (if you are not already in the Arranger view).

2. Press the **SCENE** button to enter the Section page.
  3. Press **MAIN/CONTROL (PIN)** to pin the page if required.
  4. Select the pad representing the Section you want to adjust.
  5. Press the right arrow below the display to select **LENGTH**.
  6. Turn the Control encoder to adjust the length of the Section as required. Turning the Knob left will shorten the Section, turning it right will lengthen the Section.
  7. Press and turn the Control encoder to change the Section length in smaller increments.
- The Section length is adjusted accordingly.


## 9.2.2 Duplicating and Removing Sections

MASCHINE offers you various editing tools for Section slots. Here are some examples using your controller and a few more using the MASCHINE software.

### 9.2.2.1 Duplicating and Removing Sections in the MASCHINE Software

To duplicate a Section in the Arranger:


- ▶ Right-click ([Cmd] + click on Mac OS X) for example the Section slot 2 and click *Duplicate* in the context menu.



→ The content of Section slot 2 is copied to the next Section column and all other Sections are moved one Section to the right.

To remove a Section in the Arranger:

- ▶ Right-click ([Cmd] + click on Mac OS X) for example the Section slot 2 and click *Remove* in the context menu.



→ The content of Section slot 2 is removed and all other Sections are moved one Section to the left. Note that the Section has only been removed from the arrangement but has not been deleted.

### 9.2.2.2 Duplicating and Removing Sections using the Controller

To duplicate a Section in the Arranger:

1. Press **SHIFT + SCENE** to access Arranger view (if you are not already in the Arranger view).
2. Press and hold **SCENE** to enter Section mode (or pin it by pressing **SCENE + MAIN**). The display shows both the Section number and the name of the currently selected Section slot.
3. Press for example pad **2** to select Section slot 2.
4. Press **F2 (DUPL)** to duplicate this Section slot.

- ⇒ A new Section slot is inserted right after Section slot 2 with the same properties and content (Scene). The existing Section slots are shifted one slot to the right to make way for the new entry.  
Note that the duplicate slot is automatically selected.
- 5. Press **F3** (REMOVE) to remove this new Section slot from your arrangement.
- The Section slot is removed. Sections to the right of the removed Section are shifted one slot to the left to fill the gap.

## 9.3 Selecting a Loop Range

We already learned how to select a Section by clicking its Section slot in the software's Arranger or by pressing **SCENE** + the desired pad on your controller (see Adding other Sections). A single selected Section is always looping automatically.

But MASCHINE also allows you to select several consecutive Sections and play them one after the other in a loop. Here's how to select the desired range of Sections.

### 9.3.1 Selecting a Loop Range in the MASCHINE Software

The Arranger provides a timeline located above the slot labels that always show the current loop range:

The screenshot shows a timeline with five scenes: Scene 1, Scene 2, Scene 3, Scene 4, and Scene 5. The timeline is divided into columns by vertical lines at positions 1, 5, 9, 13, and 17. Scene 2 is highlighted with a green background and a green border, indicating it is the current loop range. Below the scene labels, there are three rows of section labels: 'A', 'A', and 'A'. The first row shows 'A' under Scene 1, 'A' under Scene 2, and '-1' under Scene 3. The second row shows 'A' under Scene 1, 'B' under Scene 2, 'C' under Scene 3, 'D' under Scene 4, and 'D' under Scene 5. The third row shows 'A' under Scene 1, 'B' under Scene 2, 'C' under Scene 3, 'D' under Scene 4, and 'D' under Scene 5.

1	5	9	13	17
Scene 1	Scene 2	Scene 3	Scene 4	Scene 5
A	A	-1	-1	B-2
A	B	C	D	D

The Arranger timeline showing that the Section 2 is looped.

To select another loop range:

1. In the Arranger timeline, click the end column of the start Section and hold the mouse button.
2. Drag horizontally onto the column of the end Section and release the mouse button.

→ The start and end Sections along with all Sections in-between are played one after the other in a loop. The Arranger timeline indicates the new loop range.

1	5	9	13	17
Scene 1	Scene 2	Scene 3	Scene 4	Scene 5
A	A	.-1	.-1	B-2
A	B	C	D	D

The loop range now contains three Sections.



You will note that selecting a single Section amounts to selecting a one-Section-long loop range.

### 9.3.2 Selecting a Loop Range using the Controller

On your controller:

1. Press **SHIFT** + **SCENE** to access Arranger view (if you are not already in the Arranger view).
  2. Press and hold **SCENE** to enter Section mode (or pin it by pressing **SCENE** + **MAIN**).
  3. Press and hold the pad corresponding to the start Section.
  4. While holding the first pad, press the pad corresponding to the end Section.
- The start and end Sections along with all Sections in-between are played one after the other in a loop.

## 9.4 Save Your Work!

Again, it is recommended to regularly save your work. You can then open another Project or close MASCHINE and take a break. Your tutorial Project will be recalled as is the next time you open it.

To save your work in the MASCHINE Software:

- ▶ Press **[Ctrl] + [S]** (**[Cmd] + [S]** on Mac OS X) to save your Project.

To save your work using the Controller:

- ▶ Press **SHIFT** + **SAMPLING** to save your Project.

## 9.5 To Sum Up...

In this tutorial, we have learned to:

- Create Sections referencing our Scenes.
- Select a Section for playing.
- Pin the various controller modes.
- Rename, color, move, insert, and delete Sections slots.
- Select the desired loop range for playing.
- Adjust the behavior of the sequencer when jumping between Sections or loop ranges.

Once you feel comfortable with these few tasks, proceed with the next chapter, where we will quickly introduce a few other powerful features of MASCHINE.

## 10 Using Advanced Features

This chapter quickly presents a brief introduction to another four powerful features of MASCHINE:

- The Sound, Group, and Master Channel properties
- Advanced routing
- Sampling
- Mix view



For detailed information on these features please refer to the MASCHINE Manual.

### 10.1 Changing the Sound, Group, and Master Channel Properties

In a previous tutorial, we learned how to adjust the Volume and Swing of the Project — see section [↑3.2.3, Adjusting Volume, Swing and Tempo](#) for a reminder. In fact, Volume and Swing are only two of the numerous **Channel properties** available for each Sound, Group and at the Master level. These Channel properties are independent of which Plug-ins are loaded in the Sound, Group or Master.

In the software, after clicking the Channel icon in the upper left corner of the Control area, you see four buttons at the bottom left:



The Channel Property selector in the Control area.

These buttons are called the **Channel Property selector** and allow you to select a particular set of Channel properties for displaying in the Parameter area on the right.

Let's look at a few examples. We will use the software or the controller alternatively, but — as usual — most of these tasks can be done from both!

### 10.1.1 Creating Custom Sets of Parameters with the Macro Controls

Macro Controls enable you to control in one same location a selection of parameters coming from different sources. Available in every channel (Sounds, Groups, and Master), Macro Controls are very useful for playing live since you can choose a set of parameters from various sources to manipulate on one screen without having to switch screens.

The Macro Controls are available in the **Macro properties**.



The Macro properties (here for a Sound) in the software.



The Macro properties (here for a Sound) on the controller.

### 10.1.2 Macro Control Overview

Each Macro Control can be assigned to one destination with the full range of the selected parameter. On the other hand, the same parameter can be the destination of more than one Macro Control.

To know which parameters you can assign to a Macro Control, consider this single rule:

**A Macro Control of a channel can control any properties or Plug-in parameters of that channel or of any underlying channel.**

In other words:

- For Sounds: You can assign the Macro Controls of a Sound to any parameters in its Channel properties or Plug-ins.
- For Groups: You can assign the Macro Controls of a Group to any parameters in its Channel properties or Plug-ins as well as any parameters in any Sound inside the Group.
- For the Master: You can assign the Macro Controls to any parameters found in the Channel properties or Plug-ins of any channel in your Project.



The Macro properties (even of a different channel) are not available as targets for any Macro Control.



Linking the same parameter to more than one Macro Control can be useful in the following example: If a parameter of a Sound is particularly important, you can link it to the same knob in the Macro Controls of that Sound, of its parent Group, and of the Master. By doing this, you ensure that the parameter is always available on the same knob when you switch between the Master, Group, and Sound level (but not if you switch to another Sound or Group, of course).

### 10.1.3 Assigning Macro Controls

Assigning Macro Controls is done in the [Pages](#) pane of the Assignment area when the Macro properties are selected.



Assigning the Macro Controls is possible in the software only.

#### Opening the Pages Pane in the Assignment Area


First of all, you need to open the [Pages](#) pane of the Assignment area for Macro properties:

1. Select the Macro properties of the desired channel (Sound, Group, or Master).

- Click the down-pointing arrow in the bottom left corner of the Control area to reveal the **Assignment area** underneath:



- Click the **Pages** tab in the left part of the Assignment area:



- The **Pages** tab lights up and the **Pages** pane appears on its right. You are now ready to assign Macro Controls to parameters.




Once the Assignment area is open, when you switch to other Parameter pages the Assignment area follows your selection: it always shows the assignments for the page currently displayed above.



The **Pages** tab can be clicked only for Native Instruments or External Plug-ins and for Macro properties. For all other Plug-ins and properties, parameters and Parameter pages are not editable, and the **Pages** tab is grayed out and inactive.

When the **Pages** pane of the Assignment area is open, you also notice a few changes in the Control area above.



The Control area with the Pages pane active in the Assignment area underneath.

(1) **Delete Page button (“x” symbol):** Click the little “x” after a page name to delete this Parameter page.

(2) **Add Page button (“+” symbol):** Click the little “+” after the last page label to append a new page. By default, pages are labeled “Page 1,” “Page 2,” etc. You can change page labels by defining sections within your pages via the Section Label fields (3).

(3) **Section Label fields:** These fields allow you to define sections of parameters within the displayed page. Double-click the field above the first parameter you want to include in the section, type the desired name for the section, and press [Enter] to confirm. The new section will include all following parameters until the next section starts (this can be seen only after you have closed the Assignment area). Moreover, the Parameter page will mirror the label(s) of this section(s) — if there is more than one section, the page label will mirror all of them, separated by slashes.

(4) **Focus frame:** Indicates the Macro Control being assigned. Click any Macro Control to display and edit its assignment in the Target selector below (6).


(5) **Parameter Label fields:** Double-click these fields to enter custom labels for your parameters (press [Enter] to confirm). These labels will be mirrored everywhere in MASCHINE for the corresponding parameters.

(6) **Target selector:** Displays and selects the target parameter of the selected Macro Control (indicated by the Selection frame). This multi-level drop-down widget allows you to quickly navigate through the structure of the channel to the desired parameter. The detailed procedure is explained in the next paragraph.

(7) **Reset Assignment button:** Click the [Reset](#) button to remove the assignment for the selected knob.

## Selecting a Parameter in the Target Selector

The Target selector (see picture above) allows you to choose from all available parameters for each Macro Control.



The Target selector allows you to quickly select the desired parameter.

This tool is similar to a menu containing several levels of submenus — with the notable difference that every intermediary selection stays visible for faster switching.

When assigning a new, unassigned Macro Control, do the following:

1. Click the [Select](#) menu (for now the only menu of the Target selector).  
The menu is organized into subcategories: *Settings* (listing the properties of the current Channel), *Slots* (listing the Plug-ins loaded in the current Channel), and possibly a third category listing the Channels included at the next level: if you're editing the Macro properties of the Master you will see the *Groups* subcategory listing all Groups of your Project, and if you are editing the Macros of a Group you will see the *Sounds* subcategory listing all Sounds in that Group.

2. Upon your selection in the previous menu, the menu takes the name of your selection, and another menu appears on its right which allows you to refine your search (e.g., by listing all Parameter pages of the selected Plug-in or Channel). This continues until a parameter is reached and you select it.

→ Upon the selection of a parameter, the Macro Control is assigned to this parameter.

Note that the whole path to this parameter stays visible in the Target selector: this lets you modify a single selection without starting from the topmost channel and going through the entire selection process again:

- ▶ To modify a particular item in the selection shown by the Target selector, click it and select another item for that level.  
If the items in the further selection chain don't fit to your new selection anymore, they will be reset.

## 10.2 Using Other Sound Sources

Until now we have used two different sound sources in our Sounds:

- In all Sounds of the drum kit Group, the sound source is the Sampler Plug-in — MASCHINE's internal sampler.
- In both Sounds of the bass Group, the sound source is an instance of the MASSIVE VST/AU plug-in.

But you can also use other sound sources:

- You can use the audio coming from any other Group(s) and/or Sound(s).
- You can use the audio coming from an external source.

In this section we will quickly show you how to set this up. This will allow us to introduce the powerful routing facilities provided by MASCHINE.




We will exclusively use the software, but most of these tasks can be done from your controller as well. Please refer to the Manual for more information.

## 10.2.1 Using Sounds and Groups as Sound Source

The sound source of a Sound is set in its first Plug-in slot.


In the software, do the following:

1. Click the Group slot **C** in the Arranger to select it.
2. Click the Sound slot **1** in the Pattern Editor to select it.
3. Click the Plug-in icon.
4. Open the Plug-in menu by clicking the **+** symbol.



The menu opens and lets you choose a Plug-in for loading.

5. In this menu, select any effect, e.g., *FM*.



The FM effect is loaded.

6. Now click the Group **Bass** in the Arranger to select it.

- Click the **GROUP** tab in the Control area to select the Group level and display the parameters for the Group “Bass” that we just selected.
- Click the Channel icon.



- Click the **Output** icon to select the Output properties of that Group.



- Click the **Aux** parameter page.



11. In the **Aux 1** section, click the label **None** of the **Dest.** (destination) selector. In the menu that opens, select **C1: Sound 1-1**.



- You hear your bass line processed by the FM effect on top of the original bass line! You can adjust the level of the processed bass line via the **Level** knob in the same **Aux 1** section.

In fact, we have just set up a send effect in MASCHINE. As we selected an effect plug-in in the first Plug-in slot of Group C, MASCHINE automatically made this Sound available as an output for all other Sounds and Groups of your Project. By choosing this Sound in the **Aux 1**'s **Output** selector of the Group "Bass," we told MASCHINE to send the audio of this Group additionally to the FM Sound.

Feel free to experiment with this feature:

- Add other effects in Group C's Sound slot 1.
- Route other Sounds or Groups to this same effect.
- Adjust each auxiliary level independently.
- Create new effects chains in other Sound slots of Group C and route other signals to them.

## Routing Tips

- For a better overview, rename the Sound you use as a send effect after the effects name.
- You can build your own multi-effects: for each send effect you can have an unlimited amount of effects per Sound or Group!



Please be aware using too many effects may cause a high load on your computers CPU, as a result the amount of effects you should use is dependant on the processing power of your computer.

- Since Patterns are saved together with your Group, you can also prerecord modulation for your effects, for example filter sweeps or complex effects clusters with multiple effects that you can use on your material.

The Routing in MASCHINE is a really powerful tool with a vast amount of possibilities. You can set up your own effects chains, route Sounds through several other Sounds or out of your audio interface through a Hardware effect and then back into MASCHINE.




For more information on routing, please refer to the Manual.

## 10.2.2 Using an External Sound Source

MASCHINE allows you to route not only other internal signals to your Sounds as described in the previous section (see [↑10.2.1, Using Sounds and Groups as Sound Source](#)), but also audio coming from the external world. To do this, we will use the first Plug-in slot of the Sound level: the Input Channel. In the software, do the following:

1. Click *File > Preferences...*  
The Preferences dialog opens.
2. Click the [Audio](#) Page.
3. In the [Routing](#) section click the [Inputs](#) button.  
You then see the list of MASCHINE input ports on the left. By clicking on the fields on the right, you can assign MASCHINE input ports to the physical audio inputs available on your audio interface.

- Assign at least Maschine In 1 L and Maschine In 1 R to any pair of inputs on your audio interface.



5. Click [Close](#) to exit the Preferences dialog.
6. Plug anything (e.g., a turntable) into the audio interface's input pair that you selected in the Audio page for the first two inputs of MASCHINE.
7. Now click the Group [D](#) in the Arranger to select it.
8. Click the Sound slot [1](#) in the Pattern Editor to select it.
9. At the far left of the Control area, click the little Channel icon to display the channel properties.



10. Click [Input](#) on the left-hand side
11. Click the [Source](#) selector (currently reading [None](#)) and select *Ext In 1* in the menu that opens.



→ You can hear the audio coming from your external device. Adjust its level via the [Gain](#) knob of the Input selector.

MASCHINE provides you with four separate stereo inputs for using four distinct external stereo signals within your Project. For example you could try the following:

- Load effects in the Plug-in menu to process the signal of your turntable.

- Send any external signal to the send effect we built in [↑10.2.1, Using Sounds and Groups as Sound Source](#).
- Plug a microphone and process it in real time in your live performance!

## 10.3 Sampling

Now let's look at another great feature of MASCHINE: its sampling facilities. MASCHINE allows you to record internal or external audio signals using your audio interface to create loops, single hits or instruments, in fact sampling has many uses within MASCHINE. For instance you could:

- Resample the internal audio of MASCHINE. This can be used to sample a loop
- Record an external sound source
- Chop up audio
- Design new sounds

In this tutorial we will sample some audio and add a chopped vocal to add to our track. Before we begin we must setup our external sound source to record the input from our microphone.




This chapter is a short introduction to sampling. We will exclusively use the software, but most of these tasks can be done from your controller as well. Please refer to the Manual for detailed information.


### 10.3.1 How to Sample

1. First choose an empty Sound slot to record into by clicking its name.

- Now click the Sample Editor button right underneath the Keyboard View button, at the left of the Pattern Editor:




The Pattern Editor switches to the Sampling tabs:




- In the **Record** tab, select your **SOURCE** at the bottom of the page. You can record Samples from an internal signal (select *Internal* from the drop-down menu) or from one of the external inputs (select the *Ext. Ster.* or *Ext. Mono* from the drop-down menu). In this case


we will record from the drum kit Group “EK-TL A Kit,” so click *Internal* in the **SOURCE** menu:



- Click *EK-TL A Kit* in the **INPUT** menu nearby:



- Next to the **INPUT** menu is the **MODE** switch. Use this to select a way to start the recording: either by setting a threshold value (adjustable with the mouse by dragging) or in sync with the Project tempo. Since we want to record a drum loop from the EK-TL A Kit, we select *Sync*.
- After selecting *Sync*, the **LENGTH** menu is displayed to the right. Click *1 Bar* in the menu:



- Now click the **Start** button and, since the recording is going to be triggered by the sequencer, start the sequencer (e.g., by pressing **PLAY** on your controller or the [Space] bar on your computer keyboard).

→ After the recording stops, you will see the waveform of your Sample:



Under the large Waveform representing the recorded Sample, you can see a small icon for each Sample that was recorded into this Sound slot: this is called the Recording History. You can drag the Samples to other Sound slots to use them separately.



For external Samples coming from an instrument that is not synced to MASCHINE by way of MIDI Clock, it is more useful to record it manually or in Threshold mode. Please refer to the Manual for more information.

### 10.3.2 Editing, Slicing and Mapping Your Sample

MASCHINE provides you with many features to make an efficient use of your recorded Sample. These features are found in the other three tabs of the Sample Editor:

- The **Edit** tab allows you to adjust the start and end point of your Sample, to define a loop range within the Sample, to adjust the envelope of the Sample, and to apply various audio processing commands to your Sample.

- The [Slice](#) tab allows you to cut your Sample into slices in various ways and to distribute the slices across the keyboard —notably this allows you to play each drum hit of the Sample via a different pad in Keyboard mode!
- The [Map](#) tab allows you to precisely define the note and velocity ranges assigned to each Sample.

For a detailed description of all the features of the Sample Editor, please refer to the Manual!

## 10.4 The Mix View

The **Mix view** is the other main view of MASCHINE. Instead of focusing on the time-dependent aspects of your Project, it gives you quick access to the level and routing settings of all your Sounds, Groups, and the Master. In addition, it provides you with an intuitive interface for adjusting the parameters of all your Plug-ins.

The Mix view can come in handy at various stages of your work, e.g., when building custom drum kits, setting up send effects, creating advanced routings, and for live performances.




This section is a brief introduction to the Mix view, please refer to the Manual for more details.



The Mix view with Group B1 selected.

## Switching between Arrange View and Mix View

You can switch the MASCHINE software at any time between the Arrange and Mix view:



The Mix view button.

To switch between Arrange View and Mix View in the MASCHINE software:

- ▶ Click the Mix view button at the top left of the Arranger to switch between the Arrange view and the Mix view.

To switch between Arrange View and Mix View on the controller:

- ▶ Press **SHIFT + VIEW** to switch between the Arrange view and the Mix view in the MASCHINE software.



For detailed information on the Mix view, please refer to the Manual

# 11 Quick Reference

This chapter introduces you to the main areas and concepts of MASCHINE. In the following sections, you will find:

- Information that will help you in your every-day work with your controller ([↑11.1, Using Your MASCHINE Controller](#)).
- An overview of a MASCHINE Project and a description of both its structure and content ([↑11.2, MASCHINE Project Overview](#)).
- A basic reference of your hardware controller, naming and quickly describing each of its control elements ([↑11.3, MASCHINE Hardware Overview](#)).
- A basic reference of the MASCHINE software ([↑11.4, MASCHINE Software Overview](#)).



For a comprehensive description of every feature and setting, please refer to the Manual.

## 11.1 Using Your MASCHINE Controller

This section provides useful information for your every-day work with the MASCHINE controller.



For a complete reference of all shortcuts available on your controller, please refer to the Manual.

### 11.1.1 Controller Modes and Mode Pinning

The controller has different modes of operation.

In addition to the default Control mode (in which the pads trigger your Sounds), there are many other modes for accomplishing various tasks. These modes are enabled by specific buttons on your controller (e.g., **SCENE**, **BROWSE**, **MAIN**, etc.).

For some of these modes, you need to hold the button to keep the mode active. For example, when you press the **PAD MODE** button, the displays will show pad-specific control options; when you release it, the controller switches back to Control mode.

The buttons that are required to be held are in the middle column of your controller (left of the pads) along with the **NOTE REPEAT** button and the **GRID** button:



Each of these buttons needs to be pressed in order to use the corresponding mode.

## Pinning the Controller Modes

You can also pin (i.e. lock) controller modes, so the controller doesn't switch back when releasing a mode button:

1. Press and hold a controller mode button, e.g., **VIEW**.
2. Press the **MAIN** button.

→ You can release the **VIEW** button: The controller will remain in View mode until you press **VIEW** again.



Once a mode has been pinned your controller will automatically pin the mode next time it is pressed.

You can unpin any mode by pressing the mode button and **MAIN**.

## Navigating the MASCHINE MIKRO Controller Display

The buttons above and below the display, along with the Control encoder (on the right), have functions relating to what is shown on the display:



The control elements around the display.

- Depending on what is shown on the display, some of the buttons might be inactive — in that case they are off. The active buttons (i.e. those that would do something if you would press them) are always half-lit or fully lit.
- The **ENTER** button allows you to enter Control mode.

- The **F1**, **F2**, and **F3** buttons above the display allow you to select the tab or button under them (at the top of the display). For example, in the picture above the **SOUND** tab is selected.
- The **NAV + F2** and **NAV + F3** allow you to switch between Channel and Plug-in.
- The **NAV + Left** and **NAV + Right Arrow** buttons under the display allow you to switch between the Plug-in and Control Mode pages. You can also use them in combination with the pads.
- Press Left/Right Arrow button to quickly navigate Plug-in parameters — in Control mode this field represents the selected parameter (1/8: OSC 1 SOL. in the picture above).
- The Control encoder allows you to change the value of the highlighted field. For continuous parameters, by pressing and turning the Control encoder you can change the value in finer increments. The Control encoder can also aid navigation (e.g., in the Browser).

### 11.1.2 Controlling the Software Views from Your Controller

Your controller provides you with numerous shortcuts to modify the display in the MASCHINE software window without having to touch your mouse.

Your controller provides you with numerous shortcuts to modify the display in the MASCHINE software window without having to touch your mouse.

#### Scene View

Use Scene view to navigate the Arranger in the MASCHINE software:

1. Press and hold the **VIEW** button to enter View mode. You can also press **VIEW + MAIN** to pin the View mode so that you can release **VIEW** and stay in View mode (see [↑11.1.1, Controller Modes and Mode Pinning](#)).
2. Press **F1** to select **SCENE** and use the pads in the table below to navigate the Scene view.



Shortcuts for navigating the Arranger from the MASCHINE MIKRO controller.

Action	Shortcut
Hide/view Browser	Press pad 13
Hide/view Control Lane	Press pad 14
Compact/Full Mixer	Press pad 15 (only in Mix view: <b>SHIFT+VIEW</b> )
Scroll Pattern left	Press pad 1
Scroll Pattern right	Press pad 3
Zoom in (Arranger)	Press pad 6
Zoom out (Arranger)	Press pad 2

## Pattern View

Use Pattern view to navigate the Pattern Editor in the MASCHINE software:

1. Press and hold the **VIEW** button to enter View mode. You can also press **VIEW + MAIN** to pin the View mode so that you can release the **VIEW** button and stay in View mode (see [↑11.1.1, Controller Modes and Mode Pinning](#)).
2. Press **F2** to select PAT (for “Pattern”) and use the pads in the table below to navigate the Pattern Editor view.



Shortcuts for navigating the Pattern Editor from the MASCHINE MIKRO controller.

Action	Shortcut
Hide/view Browser	Press pad 13
Hide/view Control Lane	Press pad 14

Action	Shortcut
Compact/Full Mixer	Press pad 15 (only in Mix view: <b>SHIFT+VIEW</b> )
Scroll Pattern left	Press pad 1
Scroll Pattern right	Press pad 3
Zoom in (Pattern Editor)	Press pad 6
Zoom out (Pattern Editor)	Press pad 2
Scroll up (Pattern Editor)	Press pad 8 (only in Keyboard mode: <b>SHIFT+PAD MODE</b> )
Scroll down (Pattern Editor)	Press pad 4 (only in Keyboard mode: <b>SHIFT+PAD MODE</b> )

## 11.2 MASCHINE Project Overview


A MASCHINE Project contains all the information stored with a MASCHINE-produced piece of music.

- The Project references all the **sound content**: the instruments, sounds and samples, and all the effects that you apply to them.
- The Project also contains the **arrangement** of your song: how Patterns are built from events which trigger Sounds, and how they are arranged into a song structure using Scenes and Sections.

The following section will explain these two aspects in detail.

### 11.2.1 Sound Content

The sound content aspect of a MASCHINE Project includes all the instruments and effects contained in your Project file, and how these are structured.



The sound content aspect of a MASCHINE Project with Arranger view selected.

- Groups (1) are available in Banks. Each Bank contains eight Groups (A-H) and each Group contains sixteen Sound slots (1–16) (2). Each Sound slot can be filled with samples or plug-ins.
- You can influence the sound on these three channels: the Project (or Master) channel, the Group channel, and the Sound channel. The relevant controls are situated in the Control area (3), which can be used for accessing Plug-in parameters or Channel properties.
- The Control area has three tabbed sections corresponding to each channel: **MASTER**, **GROUP**, and **SOUND**.
  - The controls in the **SOUND** section affect the sound of the selected Sound (1–16).
  - The controls in the **GROUP** section affect the sound of the selected Group (A–H), i.e. the sound of all its Sound slots.


- The controls in the **MASTER** section affect the sound at the main outputs of MASCHINE, i.e. the sound of all Groups and all Sounds.

## 11.2.2 Arrangement

The MASCHINE Project is about building patterns, and putting those patterns into a loop or a song structure. In MASCHINE process of creating ideas is separated from the process of arrangement to provide a more flexible and creative approach. To reflect this the Arrangement area is split into two views: Ideas view and Arranger view which you can easily switch between using your controller. The two views reflect the same content but in different ways.

### Ideas View

The Ideas view is best equipped to help you develop your Patterns and Scenes. Here you create and record your Patterns and then combine them by assigning them to Scenes. Once you have created a number of Scenes that are ready to be arranged you can add them to the Arranger view.



The Ideas view of a MASCHINE Project optimized for creating Patterns and building Scenes.


The workflow of creating ideas in MASCHINE is as follows:

- You load samples or plug-ins into the Sound slots (7) of the selected Group (2).
- You record instances of your Sounds by playing the pads (1-16). A recorded instance of a Sound is called an event (6).
- Together, the events add up to a Pattern (1) for the selected Group.
- All of this takes place in the Pattern Editor (5), where you can create several Patterns for each of your Groups.

- In the upper half of the software, the Ideas view (4) allows you to combine your Patterns from each Group.
- Here you combine your Patterns (1) into Scenes (3).

## Arranger View

In the Arranger view Scenes are assigned to Sections and placed on the Timeline of the Arranger, where you can move them around to develop an arrangement.



The Arranger view of a MASCHINE Project.

The workflow of creating an arrangement in MASCHINE is as follows:

- Create Sections on the Timeline of the Arranger (1).
- Assign each Scene to a Section (2).

- Change the position of a Section by dragging the Sections slot.

## 11.3 MASCHINE Hardware Overview

### 11.3.1 Hardware Overview of the MASCHINE MIKRO MK1 Controller

This section quickly describes the areas and control elements on your hardware controller.



Overview of the MASCHINE MIKRO hardware controller.


**(1) CONTROL section:** Use this multi-purpose section to access to all parameters of the mode currently selected on your controller. There are also dedicated buttons to access the Browser, Groups and the Sample Editor. For more information on this section please view CONTROL Section.

(2) **PADS section:** Access the various controller modes using the column of mode buttons on the left-hand side of this section. Besides playing the Sounds of the selected Group, the 16 pads give you access to many editing and selection commands depending on the selected controller mode. For more information on this section please view PADS Section.

(3) **TRANSPORT section:** Start, stop and restart playback, activate record and skip bars while playing, simply by pressing the dedicated buttons. Use **SHIFT** to access the secondary functions of your controller. For more information on this section please view TRANSPORT Section.

### 11.3.1.1 CONTROL Section

This section gives an overview of the CONTROL section.



Overview of the CONTROL section.

(1–3) **F1**, **F2** and **F3** buttons: The three buttons above the LCD display dynamically adapt their function to the active mode, allowing direct access to the most important sub-sections and functions. The action they will perform is shown below each button in the display. Using the **SHIFT** button you can also use **F1** to access **MIDI mode** and **F2** to access **Instance mode**:

- **MIDI mode:** In this mode you can use MASCHINE MIKRO as a MIDI controller. Press **SHIFT** + **F1** to access MIDI mode. For more details, please refer to the Controller Editor manual.

- **Instance mode:** In this mode you can select which instance of the MASCHINE plug-in you want to control from your hardware controller if you have more than one instance open in your Digital Audio Workstation (DAW). Press **SHIFT + F2** to access Instance mode. Turn the Control encoder (**6**) to select an instance and press it to connect your controller to that instance.
- (4) **MAIN** button: Press the **MAIN** button to switch between **Control mode** and **Main mode**:
- **Control mode** is the default controller mode and can be used to access parameters of the Sound, Group and Master levels in your MASCHINE Project.
  - **Main mode** is used to change the Volume, Swing and Tempo/Tune parameters at each level of your Project (Master, Group and Sound). Press the **MAIN** button then: **F1** for main **Volume**, **F2** for global **Swing**, and **F3** **Tempo** to control the tempo of your Project. Use the Control encoder to change a parameter value. When a pad or the **GROUP** button is held **Tempo** will be replaced by the **Tune** parameter allowing you to tune individual Sounds or Groups on the fly by rotating the Control knob.



The **MAIN** button also allows you to pin a particular mode on your controller: hold the desired mode button and press **MAIN** once to pin the corresponding mode. You then can release the mode button and your controller will stay in the corresponding mode until you press it again. See [↑11.1.1, Controller Modes and Mode Pinning](#) for more information.

(5) **Display:** The LCD display will provide you with all essential information — no need to glance at the computer screen.

(6) **Control encoder:** Turn the Control encoder to adjust the value of the field selected on the display. For some parameters, press and turn the Control encoder to change the value in finer increments. You can also use the Control encoder to browse lists shown on the display: Turn the Control encoder to highlight an entry; push the Control encoder to load it. In Control mode, when the Pattern is playing, hold **SHIFT** and turn the Control encoder to record automation for the currently selected parameter.

(7) **NAV** button: Press **NAV** + Left or Right Arrow buttons to quickly navigate parameter pages.



If you press and hold the **NAV** button in Control mode you can press **F2** or **F3** and then the desired pad **13–16** to select and display a particular Property page or Plug-in slot of the selected Sound/Group or the Master. See the Manual for more details.

- (8) **Arrow Left** button: Use this button to navigate left in the display. Use with the **NAV** button to quickly navigate to the previous page or page section.
- (9) **Arrow Right** button: Use this button to navigate right in the display. Use with the **NAV** button to quickly navigate to the next page or page section.
- (10) **ENTER** button: Press the **ENTER** button to enter Control mode. Press **SHIFT** and repeatedly tap the **ENTER** button to set the required tempo for your Project.
- (11) **BROWSE** button: Press the **BROWSE** button to access the Browser. Press **SHIFT** + **BROWSE** to access the Plug-in menu and load a Plug-in (internal or VST/AU plug-in) in the currently selected Plug-in slot.
- (12) **SAMPLING** button: Press the **SAMPLING** button to access the Sample Editor. Press **SHIFT** + **SAMPLING** to save your Project.
- (13) **GROUP** button: When you hold the **GROUP** button, the top eight pads 9–16 allow you to select the Group you want to work in. Dimmed blue pads show Groups, while the fully lit blue pad shows the selected Group — the name of this Group will show in the display. Unlit pads indicate Groups that do not exist.



Hold the **GROUP** button to select Groups with the pads 9–16. Here, Group A is selected (pad 13 fully lit blue), Groups B to G contain something (pads 14, 15, 16, 9, 10, and 11 half-lit blue), and Group H is empty (pad 12 off).

The pads 9–16 can also be used to solo and mute Groups on the fly when the **SOLO** or **MUTE** buttons are pressed. For example, in order to mute Group C, hold **MUTE**, press **GROUP** and then press the pad 15.


**(14) NOTE REPEAT** button: Note Repeat is a really handy way to play and record beats — it plays the selected Sound automatically at a given rate. While holding the **NOTE REPEAT** button, hold the pad you want to play: notes will be repeatedly triggered at the selected rate shown in the display. With buttons **F1**, **F2** and **F3**, you can select different rates while playing. You can select new rate values for each of these buttons by turning the Control encoder. Press **SHIFT + NOTE REPEAT** to enter **Step mode**. For more information on Step mode please refer to chapter --- MISSING LINK ---.



The Note Repeat mode can be pinned: Press **NOTE REPEAT** + **MAIN** to pin/unpin the Note Repeat mode. See [↑11.1.1, Controller Modes and Mode Pinning](#) for more information

### 11.3.1.2 TRANSPORT Section

This section gives an overview of the **TRANSPORT** section.



Overview of the TRANSPORT section.

Start, stop and restart playback, activate record and skip bars while playing, simply by pressing the dedicated buttons in the TRANSPORT section of the controller. Use the **SHIFT** button to invoke secondary commands such as the metronome, Count in and Step Forward and Backward.

- (1) **RESTART** button: Press the **RESTART** button at anytime to restart from the beginning of the current loop range.
- (2) **Step Backward** button: Skip back through the loop range one bar at a time. Press **SHIFT** + Step Backward to skip backwards step by step.
- (3) **Step Forward** button: Skip forwards through the loop range one bar at a time. Press **SHIFT** + Step Forward to skip forwards step by step.
- (4) **GRID** button: Enters Grid mode. The Grid mode allows you to select resolutions for the Step Grid (used for quantization), for changing Pattern Lengths and for transitions between Scenes.



The Grid mode can be pinned: Press **GRID** + **MAIN** to pin/unpin the Grid mode. See [↑11.1.1, Controller Modes and Mode Pinning](#) for more information.

(5) **PLAY** button: Press the **PLAY** button to activate playback. Press **PLAY** a second time to stop playback. Press **SHIFT** + **PLAY** to turn the metronome on/off.

(6) **REC** button: When playback is on, press **REC** to begin recording. Press **REC** a second time to stop recording. Hold the **REC** button to access Pattern Preset mode, this allows you to select a preset for the Pattern Length before recording any events.

(7) **ERASE** button: When creating music, erasing needs to be as quick and simple as recording, so there is a dedicated button for this! During playback, hold **ERASE** and hold any number of pads to erase the events for the corresponding Sounds on the fly as the playback goes on. Use the shortcut **ERASE** + **SELECT** + pad to quickly erase all events triggered by that pad in your Pattern.

(8) **SHIFT** button: While the most important features are accessible through dedicated buttons, many shortcuts are available by holding the **SHIFT** button and pressing pads **1–16** or several other buttons. In Control mode, when the Pattern is playing, hold **SHIFT** and turn the Control encoder to record automation for the currently selected parameter.



All hardware shortcuts are explained in the Hardware Control Reference.

### 11.3.1.3 PADS Section

This section gives an overview of the PADS section.



Overview of the PADS section.



All the following buttons can be pinned: Simply press the desired button + **MAIN** to pin/unpin the corresponding mode. See [↑11.1.1, Controller Modes and Mode Pinning](#) for more information.

(1) **SCENE** button: Enters **Scene** mode in Ideas view or **Section** mode in Arranger view. Use Scene mode to access your Scenes and Section mode for arranging your song.

- Use Scene mode to create, select and manage Scenes to prepare them for assignment to Sections in the Arranger. During playback, you can switch Scenes for quick on-the-fly arrangement by pressing the pads; half-lit pads show existing Scenes, while fully lit pads show the selected Scene. When you are satisfied with a Scene you can append it to the Arranger.

- Use Section mode to create, select, and manage Sections in order to create an arrangement. Here you can create Sections, assign a Scene to Section, position a Section on the Timeline, and set the length of a Section.



Use **SHIFT + SCENE** to quickly toggle between Ideas view and Arranger view.

(2) **PATTERN** button: Enters Pattern mode. Pattern mode allows you to create different Patterns for the selected Group, switch between different Patterns or create a new one during playback, etc. Half-lit pads show which Patterns contain events, the fully lit pad shows the selected Pattern.

(3) **PAD MODE** button: Enters Pad Mode. This mode allows you to select a different mode for your pads. For example, you can quickly switch the pads to play melodies or even chords! The following pad modes are available:

- In the standard layout mapping, each pad represents one Sound of the Group and the Sounds' velocity is controlled by the pressure applied on the pads.
- In **Keyboard mode**, the pads represent 16 chromatic steps of the currently selected Sound, ascending from the selected root note — this way you can play the selected Sound like a melodic instrument. You can also use **F2** to transpose down or **F3** to transpose up an octave at a time. Press **SHIFT + PAD MODE** to quickly activate Keyboard mode.
- In **16 Velocities mode**, the pads represent 16 levels from the softest to the full velocity of the currently selected Sound — this is especially useful for building up dynamic grooves.
- In **Fixed Velocities mode**, each pad represents one Sound of the Group and all Sounds have the same fixed velocity, whatever pressure you apply on the pads.



You may also change Choke and Link settings in Pad Mode. Please refer to the Manual for more information on these features.

(4) **VIEW** button: Enters View mode. When working on large Projects, it is sometimes necessary to look at the computer screen. With View mode there is no need to use the mouse and search for scroll bars or magnifying glasses! Just use the pads and the CONTROL section to zoom in and out or scroll Patterns, Scenes and waveforms. See [↑11.1.2, Controlling the Software Views from Your Controller](#) for more information.

(5) **DUPLICATE** button: Enters Duplicate mode. Use the Duplicate mode to swiftly create another instance of any Sound, Pattern, Group or Scene. This can be useful for creating variations or trying out something new while preserving the current state of your work.

(6) **SELECT** button: Enters Select mode. This mode allows you to select a Sound without having to play it, or select specific events of a particular Sound, which is useful for limiting quantization, nudging notes and other operations specifically to the selected events. Use the shortcut **SHIFT + SELECT** + pad to quickly select all events triggered by that pad in your Pattern, or events at that pitch when in Keyboard mode. Use the shortcut **ERASE + SELECT** + pad to quickly erase all events triggered by that pad in your Pattern or events at that pitch when in Keyboard mode.

(7) **SOLO** button: Enters Solo mode. In this mode, you can instantly solo any Sound or Group (equals muting all other Sounds/Groups) by pressing its pad — useful to tweak the Sound or for performing live. The pad of the soloed Sound or Group is fully lit, while all other pads (representing the muted Sounds/Groups) are dimmed.

(8) **MUTE** button: Enters Mute mode. In this mode, you can instantly mute Sounds and/or Groups by pressing the corresponding pads with or without the **GROUP** button — good for getting on top of your production when you have many sounds playing and especially useful for performing live. Muted Sounds/Groups are represented by half-lit pads, while unmuted (i.e. audible) Sounds/Groups are represented by fully lit pads.


(9) **Pads 1–16**: Besides playing and selecting your Sounds, the pads have many functions depending on the controller mode that is currently active. If you hold the **GROUP** button, they allow you to select a Group. In addition, when used in combination with **SHIFT**, the pads trigger various commands:

- Press **SHIFT** + pad **1/2** to undo/redo your last action.
- Press **SHIFT** + pads **3–16** to access various editing functions in the selected Pattern.



For a detailed explanation of each feature please refer to the Manual.

## 11.4 MASCHINE Software Overview



The MASCHINE software.

(1) **Header:** The Header contains the main controls for the MASCHINE software including the Display area, the Transport controls, and the Master Volume slider. You can also use this area to toggle the Browser, toggle the Mixer view, connect to your hardware controller and monitor the CPU usage of your computer.


(2) **Browser:** The Browser is your tool for managing, finding, tagging and categorizing Projects, Groups, Sounds, Instruments, Effects and Samples. Using the search facility you can quickly find things and audition (Prehear) Samples.

(3) **Arranger:** This area has two views: Ideas view and Arranger view. Ideas view is for creating and experimenting with musical ideas free from the timeline. Arranger view is for organizing your musical ideas into a song on the Timeline.

(4) **Control area:** The Control area allows you to control parameters and settings for each of the Plug-in slots at each Project level (Sound, Group and Master). This area can hold settings for Groups, Sounds, Plug-ins (internal or VST/AU plug-ins), MIDI, routing.

(5) **Pattern Editor:** The Pattern Editor features both step programming and real-time recording and is the basis for each Pattern. Patterns for each Group can be created here and then assigned to Scenes in the Arranger. The Pattern Editor also lets you edit modulation for the Sound, Group, and Plug-in (Internal or External) parameters.

### 11.4.1 Header



The Header.


(1) **MASCHINE menu:** Click the MASCHINE menu to access the software menus. This menu is particularly useful in Full screen mode and when MASCHINE is used as a plug-in in a host application.

(2) **Browser button:** Use the Browser button to toggle the Browser. The Browser is your tool for managing, finding, tagging and categorizing Projects, Groups, Sounds, Instruments, Effects and Samples. From the Browser you can directly search your computer or an external drive to add new files. You may also prehear (audition) Samples directly from the Browser and apply new tags.

(3) **Mix view button:** Click the Mix view button to access the Mix view. The Mix view provides you with quick access to the level and routing settings of all your Sounds, Groups, and the Master. In addition, it provides you with an intuitive interface for adjusting the parameters of all your Plug-ins.

- (4) **Transport controls:** The Transport controls contain buttons such as Play, Restart, Record and Loop.
- (5) **Display area:** The Display area provides control regarding Ableton Link, time signature, tempo, global swing, Follow and Sync (Perform Grid and Retrigger in the Cog wheel icon.)
- (6) **Controller icon:** This area displays an icon each MASCHINE controllers connected to your computer.
- (7) **Master Volume slider:** Shows and adjusts the level of the MASCHINE audio output.
- (8) **CPU meter:** The CPU meter represents the current load on your computer's processor and is constantly measured; it should not go above 70% to avoid clicks and interruptions. You can save CPU power by sampling the audio output of MASCHINE if necessary using export (for more information, please refer to the Manual).
- (9) **Audio Engine button:** Click the Audio Engine button to disable the entire sound processing of MASCHINE.
- (10) **NI logo:** The NI logo and MASCHINE logo open the About screen which displays the version number and edition of your MASCHINE software.

## 11.4.2 Browser



The Browser.

- (1) **LIBRARY tab:** Use the **LIBRARY** tab to access your computer's hard drives via MASCHINE's selectors and filters.
- (2) **FILES tab:** Use the **FILES** tab to access your computer's hard drives.

(3) **File Type selector:** This contains six icons representing the different file types of MASCHINE. From left to right the file types are: **Projects**, **Groups**, **Sounds**, **Instruments**, **Effects**, and **Samples**. Clicking one of them causes only the files of the selected type to be displayed.

(4) **Content selector:** The Content selector allows you to select between Factory content and User content.

(5) **Product selector:** The Product selector allows you to browse and select any content of the same File Type as is selected in the File Type selector above.

(6) **Tag Filter:** The Tag Filter allows you to search based on tags. You can quickly find files based on the **TYPES** and **MODES** categories by clicking the tags.

(7) **Search field:** Use the Search field to quickly find files based on their name or tagged attribute. Select the type of file you are looking for from the File Type selector and enter the name or category of a file into the Search field to perform a search. Results are displayed in the Results list below.

(8) **Results list:** The Results list displays all files that match your query.

(9) **Audition controls:** The Autoload button allows you to load and listen to the item selected in the Results list in context with the rest of your Project while it is playing.

If you are browsing **Samples**, the Prehear button (speaker icon) allows you to quickly hear each Sample you select in the Results list, at the volume set by the slider.



Audition control volume slider.

When browsing **Groups**, the **+PATTERNS** and **+ROUTING** buttons appear in the Control bar of the Browser.



**+PATTERNS** and **+ROUTING** in the Control bar of the Browser.

When the **+ROUTING** button is on, the audio and MIDI routings stored in the Group will also be loaded (potentially overwriting previous routings in the selected Group). When the **+ROUTING** button is off, any audio and MIDI routings saved in the Group will not be loaded, thus preserving any existing routings in the active Group.

The **+PATTERNS** button allows you select whether a Group is loaded with or without a saved Pattern. This button conveniently allows you to load new kits without a Pattern so you can try them with your existing pattern, or load kits with Patterns you have previously created. When the **+PATTERNS** button is selected the Sounds and Patterns of the selected Group will be loaded. When the **+PATTERNS** is deselected, only the Sounds of the selected Group will be loaded.


(10) **Information:** Click the Information icon to view details of the selected file.

(11) **Tag Editor:** The Tag Editor allows you to edit Tags applied to files and add Tags to new files from the Bank, Types, and Modes and view Properties. Only Types and Modes Properties can be edited in the User content. The NI (Native Instruments) content is read only. You can show/hide it by clicking the **EDIT** button at the bottom right.

### 11.4.3 Arranger

The Arranger is has two different views: **Ideas view** and **Arranger view**. Each view has a specific purpose in the workflow of creating a song, but essentially they represent the same content. The Ideas view allows you to experiment with your musical ideas without being tied to a timeline or any kind of arrangement. Here you can create Patterns for each Group and combine them into a Scene. The Arranger view allows you to structure your song by allowing you to assign the Scenes you created in the Ideas view to Sections, and move them around to quickly create a larger musical structure.

#### Switching between Ideas View and Arranger View



The Arranger view button.

- ▶ Click the Arranger view button to switch between the Ideas view and the Arranger view.
- When the button is unlit Ideas view is active, when the button is lit Arranger view is active.

## The Ideas View



The Ideas view for creating and experimenting with musical ideas free from the Timeline.

(1) **Scenes:** This area displays all the current Scenes in your project. After creating a Scene by clicking the + symbol, you can build the Scene by selecting a Pattern from each Group. By clicking each Scene name (Scene slot) you can switch between Scenes to see how your musical ideas work together.

Using your mouse you can right-click ([control] + right-click on Mac OS X) on the Scene slot and select to *Append to Arrangement* from the menu and then arrange your song in the Arranger view. You can also use the right-click menu to *Clear*, *Duplicate*, or *Delete* Scenes, as well as organize your Scenes by selecting the *Rename* or *Color* options

(2) **Pattern area:** All Patterns in your Song are represented here. You can double-click a blank slot to create a new Pattern or click an existing Pattern to assign it to the selected Scene. Once assigned, a Pattern will become highlighted, click it again to remove it from the selected Scene. Using your mouse you can right-click ([control] + right-click on Mac OS X) on the name of a Pattern and select to *Clear*, *Duplicate*, or *Delete* a Pattern. You can also organize your Patterns by selecting the *Rename* or *Color* options.

(3) **Groups:** The Group slots can hold one Group each. Select the desired slot to load a Group into it and display the Group's content (Sounds, Patterns...) in the Pattern Editor (see [↑11.4.5, Pattern Editor](#)) and the Group's Channel properties and Plug-in parameters in the Control area (see [↑11.4.4, Control Area](#)). To mute a Group click the Group letter, for example **A1**, and right-click on the letter to solo the Group. Using your mouse you can also right-click ([control] + right-click on Mac OS X) on the name of a Group to access the many options available to manage them.

## The Arranger View



The Arranger view for organizing your musical ideas into a song on the Timeline.

(1) **Groups:** The Group slots can hold one Group each. Select the desired slot to load a Group into it and display the Group's content (Sounds, Patterns...) in the Pattern Editor (see [↑11.4.5, Pattern Editor](#)) and the Group's Channel properties and Plug-in parameters in the Control area (see [↑11.4.4, Control Area](#)).

(2) **Arranger timeline:** This area displays the current position within the track and allows you to set the loop range.

(3) **Section slots:** This area displays Section slots. A Section is a container for Scene placed on the Timeline. A Section can be moved freely by clicking the name of the Section and dragging and dropping it into place. You can change the length of a Section by dragging the Section end marker to the left to shorten it, or to the right to lengthen it. Using your mouse you can right-click ([control] + right-click on Mac OS X) a Section and use *Select* in the menu to assign a Scene to a Section. It is also possible to use the menu to *Insert*, *Duplicate*, *Delete*, *Clear* or *Remove* Sections as well as organize them by selecting the *Rename* or *Color* options.

(4) **Pattern area:** In each Section of the Arrangement, you can see the name of the Scene assigned to the Section along with the Scene's Patterns stacked vertically for each Group in the Project. The Patterns seen here are the same as those seen when viewing the same Scene in the Ideas view.


## 11.4.4 Control Area



The Control area.

- (1) **Plug-in icon:** Click the Plug-in icon to access Plug-ins and their parameters.
- (2) **Channel icon:** Click the Channel icon to access Channel properties where you can display and adjust various properties for the selected Sound/Group or Master channel in the Parameter area.
- (3) **MASTER tab:** Click the **MASTER** tab to control sound at the main outputs of MASCHINE (including all Groups and Sounds).
- (4) **GROUP tab:** Click the **GROUP** tab to gain access to Plug-ins and Channel properties of the Group loaded in the selected Group slot (A–H).
- (5) **SOUND tab:** Click the **SOUND** tab to gain access to Plug-ins and Channel properties of the Sound in the selected Sound slot (1-16).
- (6) **Parameter area:** Displays the parameters for the selected Plug-in or Channel properties. Depending on the number of parameters to display, these can be split into several pages. In this case, click the name of the parameter page to display it.
- (7) **Quick Browse Icon:** Use the Quick Browse icon to recall the search query you performed to find the currently loaded file/preset.
- (8) **Plug-in List:** There are Plug-in slots on each channel level (Sound, Group and Master). Each of them can hold one effect Plug-in. The first Plug-in slot of the Sound level can also hold a plug-in instrument. Select the desired Plug-in to display its parameters in the Parameter area (6).

## 11.4.5 Pattern Editor



The Pattern Editor.

- (1) **Sample Editor button:** Click this button to open/close the Sample Editor.
- (2) **Keyboard view button:** Click this button to display the Keyboard view.
- (3) **Group view button:** Click this button to display the Group view.
- (4) **Audition button:** Click this button to audition a Sound when it is selected from the Sound slots (6).
- (5) **Sound properties icon:** Click this icon to quickly access the Key, Choke, and Link settings for the selected Sound.

(6) **Sound slots:** Sounds slots 1–16 of the selected Group are listed here. Click a Sound slot to bring it into focus and display its Plug-ins and Channel properties in the Control area (see [↑11.4.4, Control Area](#)). In Keyboard view (2), click a Sound slot to display its events in the Step Grid (11).

(7) **Pattern slots:** Each Group has an unlimited number of Patterns available. Each Pattern slot can hold one Pattern. A Pattern contains the events that make up a groove or a musical phrase for the selected Group. Click the drop-down arrow to open the Pattern Manager and select a Pattern slot to display and edit its Pattern. Upon slot selection this Pattern is also referenced for that Group in the selected Scene in the Arranger (see [↑11.4.3, Arranger](#)). Select various Patterns from each Group to form an arrangement.

(8) **Pattern Length controls:** The Pattern Length controls allow you to choose the unit by which the length of the Pattern can be adjusted and to adjust the length of the displayed Pattern according to that unit.

(9) **Dragger icons:** The Dragger icons allow you to conveniently drag and drop audio or MIDI from your Patterns to your desktop or host software.

(10) **Pattern timeline:** The timeline at the top of the Step Grid (11) displays musical time units, including bars and beats. Click the timeline to resize the currently selected Pattern.

(11) **Step Grid:** Displays the content of the selected Pattern slot (7). Here you can see your recorded events as rectangular blocks. In Group view (3) these represent the Sounds of your Group. In Keyboard view (2) they represent musical notes of the selected Sound. The events can be edited using your mouse; they can be dragged to a new position, elongated, shortened or deleted.

(12) **Control Lane:** The Control Lane provides a visual overview and editing tools for the automation of each parameter and modulation of each MIDI control change.

(13) **Edit controls:** Use the Step menu to change the step size in which events can be moved/resized and click the Arrow or Paint icons to toggle the Paint mode on/off.

(14) **Control Lane button:** The Control Lane button allows you to show/hide the Control Lane (12).



For a detailed explanation of each section please refer to the MASCHINE Software Manual.

## 12 Troubleshooting

If you are experiencing problems related to your Native Instruments product that the supplied documentation does not cover, there are several ways of getting help.



Before getting help please make sure you have downloaded the latest MASCHINE software from Native Access.

### 12.1 Knowledge Base

The Online Knowledge Base gathers useful information about your Native Instruments product and can be of great help to solve possible issues you may encounter. You can reach the Knowledge Base via: [www.native-instruments.com/knowledge](http://www.native-instruments.com/knowledge).

### 12.2 Technical Support

If no Knowledge Base entry matches your problem, or if the matching entry does not solve the problem, you can use the Online Support Form to contact the Technical Support team of Native Instruments. The Online Support Form will ask you to enter information about your hardware and software setup. This information is essential for our Support team to be able to provide you with quality assistance. You can reach the Online Support via: [www.native-instruments.com/suppform](http://www.native-instruments.com/suppform).

When communicating with the Native Instruments Support team, keep in mind that the more details you can provide about your hardware, your operating system, the version of the software you are running, and the problem you are experiencing, the better they will be able to help you.

In your description, you should mention:

- How to reproduce the problem
- What you have already tried to fix the problem
- A description of your setup, including all hardware and the version of your software

- The brand and specifications of your computer



When installing new software or software updates, a Readme file is included that contains late breaking news and new information that was not yet included in the documentation. Please open and read this Readme file before contacting Technical Support.

## 12.3 Registration Support

If problems occur during the product activation procedure, please contact our Registration Support team: [www.native-instruments.com/regsuppfrm](http://www.native-instruments.com/regsuppfrm).

## 12.4 User Forum

In the Native Instruments User Forum, you can discuss product features directly with other users and with experts moderating the forum. Please be aware that the Technical Support team does not participate in the forum. If you're encountering an issue that can't be solved by other users, contact Native Instruments' Technical Support team via the online support as described above. You can reach the User Forum via: <http://www.native-instruments.com/forum>.

## 13 Glossary

In this glossary you will find short definitions for numerous terms used in the MASCHINE context. If you have any doubts about the meaning of a word, this is the place to check!

### **Arranger**

The Arranger is the big area located in the upper part of the MASCHINE window, right under the Header.

### **Arranger View**

The Arranger view allows you to combine Sections (references to Scenes), and arrange them into a song on the Timeline.

### **Autoload**

When Autoload is enabled, any Group, Sound, Pattern, Plug-in preset (instrument or effect), or Sample that you select in the Browser is instantly loaded into the selected Group slot, Sound slot, Pattern slot or Plug-in slot. This way, you can listen to this object in the current context of your song.

### **Browser**

The Browser is the front end for accessing all MASCHINE objects: Projects, Groups, Sounds, Patterns, presets for instrument and effect Plug-ins, and Samples. Each of these can be stored, “tagged,” and categorized in a way that allows you easy access to all of them. MASCHINE’s factory library is already completely tagged, and you can also import your own files to the Library and tag them as well.

### **Bussing Point**

A bussing point is a point in the signal flow that can accept signals coming from various locations in the audio routing system. In MASCHINE for example, the first Plug-in slot of a Sound usually contains a sound source (which you will hear by pressing the corresponding pad on your controller). If you load an effect plug-in in this first Plug-in slot, though, the Sound won’t generate audio itself but instead it becomes available for other Sounds and Groups to process

their audio. You then only have to set up the desired Sound(s) and Group(s) of your Project to send some of their audio to this bussing point. This basically is the way to set up send effects in MASCHINE!

## **Channel Properties**

Channel properties are sets of parameters available at each Project level (i.e. for each Sound, each Group, and for the Master) that are independent of the Plug-ins loaded in that Sound/Group/Master. Like the Plug-in parameters, in the software the Channel properties are displayed in the Control area. For example, the volume, pan or swing controls are properties of their respective Sound/Group/Master channel.

## **Control Area**

The Control area is located in the middle of the MASCHINE window, between the Arranger (above) and the Pattern Editor (below). This area allows you to adjust all Plug-in parameters and Channel properties for the selected Sound/Group or the Master level: routing, effects, Macro Controls, etc.

## **Control Lane**

Located at the bottom of the Pattern Editor in the MASCHINE window, the Control Lane shows and lets you edit the recorded automation in form of automation points for each automated parameter. You can add, remove, or manipulate existing automation points as well as add new parameters to automate.

## **Control Mode**

Control mode is the default mode of your controller. In this mode, you can play or record your actions in real-time. Control mode also allows you to easily adjust any parameter of your Groups and Sounds via the Control section of your controller.

## **Effect (FX)**

An effect modifies the audio material it receives. MASCHINE already includes many different effects. You may also use VST/AU plug-in effects. Effects can be loaded as Plug-ins in any Plug-in slot of the Sound, Group, and Master levels. MASCHINE's flexible routing allows you not only to apply insert effects but also to create send effects and multi-effects.

## Event

Events are the individual drum hits or notes that make up a Pattern. In the Pattern Editor, events are visually represented by rectangles in the Step Grid. Depending on the current view in the Pattern Editor, you can see events for all Sounds slots (Group view) or for the selected Sound slots only (Keyboard view).

## Groove Properties

The Groove properties control the rhythmic relationship between events for the selected Group/Sound or the Master level. By shifting some of the events, you can e.g. give a shuffling, ternary touch to your Patterns. The main parameter of the Groove properties is the Swing control.

## Group

A Group contains 16 Sound slots, each of which can hold one Sound. In addition to the effects applied to individual Sounds, a Group can have insert effects loaded in its Plug-in slots. These affect all the Sounds in the Group. A Group can also contain an unlimited amount of Patterns organized into Pattern Banks.

## Group View

Group view is the view of the Pattern Editor in which events for all 16 Sound slots of the selected Group are visible and editable. In Group view, each row of the Step Grid represents a different Sound slot. This mode is well suited for rhythmic instruments (e.g., a drum kit).

## Ideas View

The Ideas view allows you to experiment with your musical ideas without being tied to a timeline or arrangement. You can create Patterns for each Group and combine them into a Scene. These Scenes can then be added to Sections in the Arranger view to create a larger musical structure.

## Insert Effect

An insert effect is an effect directly inserted in the signal path of the audio to be processed.

## Header

The Header is the topmost row of controls in the MASCHINE software window. It contains global settings, such as the Master Volume slider, the Transport controls, controls for global swing, tempo, time signature, etc.

## Keyboard View

Keyboard view is the view of the Pattern Editor in which only events of the selected Sound are visible and editable. The Keyboard view provides a vertical on-screen keyboard that indicates the pitch of each event (one row per semi-tone). This mode is well suited for melodic instruments (e.g., synthesizer). The Keyboard view of the Pattern Editor and the Keyboard mode on your controller are bound together: If you enable Keyboard view in the Pattern Editor, your controller automatically switches to Keyboard mode, and inversely.

## Macro Control

Each Sound/Group/Master channel provides a page of eight Macro Controls to which you can assign almost any parameter from that level or the underlying one. This way you can define for, e.g., each Group or Sound a set of eight parameters that are quickly accessible. Furthermore, Macro Controls can be assigned to MIDI CCs to be controlled by an external MIDI controller or application. Last but not least, if you use MASCHINE as a plug-in in a host, Macro Controls are available for modulation in your host too.

## Master

The Master is where all audio signals from each of the Groups and Sounds come together and get mixed. The Master bus can also have insert effects loaded in its Plug-in slots. These effects are applied to all Groups and the Sounds within them.

## Modulation

Modulation allows you to record changes of parameter values so that you don't need to actuate these parameters in real-time. Any modulated parameter is displayed both in the Control Lane (at the bottom of the Pattern Editor) and as a movement of the chosen parameter itself in the Control area.

## **Mute and Solo**

Muting allows you to bypass a Sound or a Group, whereas Soloing is pretty much the opposite: It mutes all other Sounds or Groups so that only the soloed Sound or Group is played. The combination of muting and soloing is a useful means both to play live and to test different sequences together.

## **Pad Mode**

Your controller offers various Pad modes that allow you to play your Sounds from the pads in different ways: Depending on the selected Pad mode, you can either assign one Sound to all 16 pads (Keyboard mode and 16 Velocities mode) or trigger each Sound with a distinct pad (default mode and Fixed Velocity mode). The Keyboard mode on your controller and the Keyboard view in the software's Pattern Editor are bound together: If you enter Keyboard mode on the controller, Keyboard view gets automatically enabled in the software, and inversely.

## **Parameter Pages**

The Parameter pages constitute the biggest part of the Control area in the MASCHINE window. They contain the adjustable Plug-in parameters and Channel properties of the selected Sound/Group or those of the Master.

## **Pattern**

A Pattern is a sequence that plays Sounds from a Group. Patterns are the building blocks for Scenes. One Pattern from each Group can be added to a Scene. You can reference the same Pattern in different Scenes. When you modify a Pattern in the Pattern Editor, all references to this Pattern are updated in the Arranger.

## **Pattern Editor**

Located at the bottom of the MASCHINE window, the Pattern Editor allows you to select Sound slots (on the left), display and edit your Patterns, change the Step Grid settings and create/edit automation.

## **Plug-in**

A Plug-in is an instrument or effect unit, either Internal or External (by Native Instruments or a third-party manufacturer), that can be loaded into a Plug-in slot to produce or alter sound. When a Plug-in is loaded into a Plug-in slot, the Plug-in appears in the Plug-in List in the left part of the Control area.

## **Prehear**

The Prehear feature allows you to listen to Samples directly from the Browser without loading them into Sound slots first. This way, you can quietly choose a Sample before modifying anything in your Project.

## **Project**

A Project contains all data needed for a song: all Groups, Patterns, Sounds, Samples, Scenes and all settings, automation, effects, routings, etc. It's like a snapshot of the entire state of MASCHINE.

## **Quantization**

To quantize a Pattern is to make its events snap to a set of equally distributed locations known as steps. This ensures that these events are on beat. You can also let MASCHINE automatically quantize events that you play and/or record live. Quantization makes it easier to get a rhythm going, but too much use can make the Pattern seem stiff or lifeless.

## **Sample**

A Sample is any piece of audio that can be used e.g. to build a drum kit or a melodic instrument, or as a distinct loop in your song. You can load one or more Samples into each Sound slot.

## **Sample Editor**

The Sample Editor can be displayed in place of the Pattern Editor. The Sample Editor is the all-in-one editor for Samples. It notably allows you to record Samples, edit them, split them into slices and map them across notes and velocities on your keyboard.

## Scene

A Scene is a combination of Patterns for each Group. They can be used to combine Patterns in order to create musical ideas. Scenes are created in the Ideas view and then added to Sections in the Arranger view to create an arrangement.

## Section

A Section is a reference to a specific Scene on the Timeline of the Arranger view and are used to arrange the Scenes into a larger musical structure. The benefit of using Sections is that any changes made to a Scene are replicated in each Section where the Scene is referenced therefore making the process of changing parts of a song quick and easy.

## Send Effect

A send effect is an effect available for audio signals located on other Sounds and/or Groups. These audio signals can be routed to a variable extent to the send effect for the effect to process them. Send effects notably allow you to reuse the same effect on different Sounds and/or Groups, thereby limiting the overall CPU load.

## Sequencer

Generally speaking, a sequencer is a hardware unit or software tool that arranges musical sequences, e.g. drum patterns or chord progressions. Hardware sequencers typically function as a set of steps, where every step can be filled with musical content. The steps are then played back as a musical sequence. MASCHINE has its own sequencing abilities: you can record and play single Patterns as well as arrange Patterns into Scenes and Scenes into full songs.

## Solo

See Mute and Solo.

## Sound

Sounds are the building blocks of all sound content in MASCHINE. They are organized into Groups that can hold up to 16 Sounds each. Sounds can be played directly from the pads on your controller. A Sound can be loaded with Plug-ins of various types (sound source or effect, Internal or External, etc.).

## Step

Steps are elementary time blocks. They are notably used to apply quantization or to compose Patterns from your controller in Step mode. All steps together make up the Step Grid. In the software's Pattern Editor, steps are visualized by vertical lines. You can adjust the step size, e.g., to apply different quantization to different events or to divide the Step Grid into finer blocks to edit your Pattern more precisely.

## Step Grid

The Step Grid is a set of parallel lines that divide the Pattern into steps. By changing the resolution of the Step Grid (i.e. the step size), you can adjust the note values at which you can quantize your Pattern and the number of steps available in Step mode on your controller.

## Step Mode

In Step mode, your controller can be used as a traditional step sequencer, where each of the 16 pads represent a step in the Step Grid. Just as on classical drum machines, a light representing the sequence runs from pad 1 up to pad 16, highlighting each step during playback. Select a Sound and put events at chosen steps in the sequence by pressing the corresponding pads. By repeating the process Sound by Sound you build up the whole Pattern.

## Swing

The Swing parameter allows you to shift some of the events in your Pattern to create a shuffling effect.

---

# Index

## A

### Arranger

- definition [189]
- switching views [181]

### Arranger view

- definition [189]
- Groups [183]
- Pattern area [183]
- Sections [183]
- Timeline [183]

### Arranger view button [181]

### Arrow Left button [169]

### Arrow Right button [169]

### Audio Engine button [178]

### Audition [40]

### Autoload

- definition [189]
- replacing Sounds with [38]

## Aux

- creating send effects [142]

## B

### Base Key

- adjusting [81]

### BROWSE button [21] [169]

### Browser [18] [176]

- +PATTERNS button [180]
- +ROUTING button [180]
- button [177]
- definition [189]
- load a Drumsynth [42]
- load a Group [18]
- load a plug-in [74]
- load a Project [34]
- load a Sample [38]
- load a Sound [38]
- load an effect [91]
- MASSIVE presets [74]

### Bussing point [189]

---

## C

### Channel

Macro properties [136]

### Channel icon [184]

### Channel Properties

adjusting [135]

definition [190]

### Channel Property selector [184]

### Color changing

Groups [72]

Scenes [117]

Sounds [53]

### Content selector [180]

### Control area [177]

adjusting parameters [84]

definition [190]

### Control encoder [168]

### Control Lane

definition [190]

editing modulation [103]

### Control mode [168]

definition [190]

pads [25]

### CONTROL section [167]

### Controller

Control mode [168]

CONTROL section [167]

Instance mode [168]

Main mode [168]

MIDI mode [167]

overview [166]

PADS section [172]

TRANSPORT section [171]

### Controller mode [155]

### Count-in [66]

### CPU meter [178]

## D

### Display [168]

### Display area [178]

### Drumsynth [42]

load [42]

### DUPLICATE button [175]

### Duplication

Pattern Length [59]

---

## E

### Editing

Patterns [67]

Samples [151]

### Effects [90]

adjusting parameters [98]

bypassing [99]

definition [190]

insert effect [191]

load [91]

muting [99]

routing send effects [142]

send effect definition [195]

### ENTER button [169]

### ERASE button [172]

### Event

definition [191]

editing with the Pattern Editor [67]

### External sound source [145]

## F

### F1, F2, F3 buttons [167]

### Factory library

presets [18]

### File Type selector [180]

### FILES tab [179]

### FX [90]

## G

### Grid [108]

### Grid Button [109] [171]

### Groove properties

definition [191]

### Group

definition [191]

load a [18]

Macro properties [136]

muting and soloing [28]

soloing [28]

### GROUP button [169]

### GROUP tab [184]

### Group view [185]

definition [191]

### Groups [183]

---

## H

### Header [176]

Audio Engine button [178]

Browser button [177]

CPU meter [178]

definition [192]

Display area [178]

MASCHINE menu [177]

Master Volume slider [178]

NI logo [178]

Transport controls [178]

### Help [187]

## I

### Ideas view

definition [191]

Groups [182]

Pattern area [182]

Scenes [182]

### Input Channel [145]

### Insert effect [191]

### Instance mode [168]

## K

### Keyboard mode

Base Key [81]

playing the pads [79]

recording [82]

shifting octave [81]

### Keyboard view [185]

definition [192]

### KOMPLETE Selection

plug-in instrument [74]

## L

### LIBRARY tab [179]

### Live playing [119]

### Load

a Drumsynth [42]

a Group [18]

a plug-in [74]

a Project [34]

a Sample [38]

a Sound [38]

an effect [91]

into a Plug-in List [43] [92]

### Locking controller modes [155]

### Loop range [132]

---

## M

### Macro Control

definition [192]

### Macro Controls [136]

### MAIN button [168]

### Main Mode [168]

### MASCHINE menu [177]

### MASSIVE

browsing presets [74]

plug-in instrument [74]

### Master

definition [192]

Macro properties [136]

### MASTER tab [184]

### Master Volume slider [178]

### Melodic sounds

playing [74]

### Metronome

activating [26]

### MIDI mode [167]

### Mode locking [155]

### Mode pinning [155]

### Modulation [103]

definition [192]

editing in the software [103]

recording [102]

### Mute

definition [193]

Sound or Group [28]

### Mute and Solo [30]

### MUTE button [175]

## N

### NAV button [168]

### NI logo [178]

### Note Repeat [31] [170]

### Note snap [62]

## O

### Open

a Drumsynth [42]

a Group [18]

a plug-in [74]

a Project [34]

a Sample [38]

a Sound [38]

an effect [91]

### Overview

hardware controller [166]

structure of a Project [161]

## P

**PAD MODE button** [174]

### Pad modes

definition [193]

### Pads [175]

in Control mode [25]

in Keyboard mode [79]

in Step mode [106]

velocity [25]

### PADS section [172]

### Parameter area [184]

### Parameter page

definition [193]

### Parameters

adjusting a Sound [84]

adjusting effects [98]

### Pattern

adding a [63]

definition [193]

editing [67]

recording [26]

### PATTERN button [174]

### Pattern Editor [177]

definition [193]

editing events [67]

### Pattern Length

adjusting [64]

doubling [59]

### Pattern slot [63]

### Pinning controller modes [155]

### PLAY button [172]

### Playing live [119]

### Plug-in

definition [194]

load a [74]

parameters [84]

### Plug-in icon [184]

### Plug-in slots

load into [42] [91]

### Prehear [40]

definition [194]

listening to samples [38]

### Pre-listen [40]

### Product selector [180]

### Project

definition [194]

load a [34]

overview and structure [161]

### Properties

Macro [136]

---

## Q

**Quantization** [62]

definition [194]

**Query** [39]

**Quick Reference** [155]

## R

**REC button** [172]

**Record tab** [149]

**Recording**

a Pattern [26]

in Keyboard mode [82]

modulation [102]

to a Sound slot [148]

**Repeating notes**

Note Repeat [31]

**RESTART button** [171]

**Retriggering Scenes** [120]

**Routing** [141]

## S

**Sample**

definition [194]

load a [38]

**Sample Editor** [151]

definition [194]

**Sample Editor button** [149]

**Sampling** [148]

Waveform [151]

**SAMPLING button** [169]

**Saving** [32]

**Scene**

definition [195]

mode [173]

playing longer loops [132]

Retrigger [120]

selecting (hardware) [115]

selecting (software) [114]

transitions [120]

**SCENE button** [115] [173]

**Scene Sync** [120]

**Search field** [180]

**Search results**

updating [39]

**Section**

---

definition [195]

mode [174]

**SELECT button** [175]

**Send effect**

creating [142]

definition [195]

**Sequencer**

definition [195]

**SHIFT button** [172]

**Solo**

definition [193]

Sound or Group [28]

**Solo and Mute** [30]

**SOLO button** [175]

**Sound**

adjusting parameters [84]

definition [195]

load a [38]

Macro properties [136]

muting and soloing [28]

routing [141]

soloing [28]

**Sound slot**

number [29]

**SOUND tab** [184]

**Source for sampling** [149]

**Step**

definition [196]

**Step Backward/Forward buttons** [171]

**Step Forward button** [171]

**Step Grid** [108] [186]

definition [196]

**Step mode** [105]

definition [196]

**Step sequencer** [105]

**Swing**

definition [196]

**T**

**Tag Filter** [180]

**Text search** [180]

**Transport controls** [178]

**TRANSPORT section** [167] [171]

**Troubleshooting** [187]

**V****Velocity**

pads [25]

**VIEW button** [174]**Volume** [178]**Volume adjusting**

Sound, Group, and overall [48]

**VST/AU**

definition [194]

load plug-in instruments [74]

**W****Waveform** [151]**Z****Zoom** [61]